.39 EA

DUAL LOCK RECLOSABLE FASTENERS





When the mushroom-shaped stems interlock, tensile strength is high enough to replace mechanical fasteners in many applications, yet you can readily open and close Dual Lock fasteners hundreds of times. High temperature and solvent resistant. Rigid backed Dual Lock are designed for

mechanical attachment like riveting or popping into place. Priced each, sold in rolls of 1000.

Item#	Pack	List
71-38698 (L)	1000	.89 EA

DUAL LOCK RECLOSABLE FASTENER



Consists of two types of continuous plastic strips with mushroom shaped stems. Designed to lock together to provide reclosable fastening for a wide range of applications. UV and plasticizer resistant. Very high bond Scotch adhesive. Withstands heat up to 200°F. Clear. Two rolls 1" wide, one roll each of both sides.

Item#	Size	List
71-06463 (L)	1" x 5 yds	210.99 PK

SAFETY-WALK™ FINE RESILIENT TREAD



High friction, fine resilient textured, non slip material. Reverse side coated with pressure sensitive adhesive protected by a removable liner.

Item#	Size	Color	List
71-19315	1" W x 60' L	White	48.79 EA
71-19316	2" W x 60' L	White	97.39 EA

SAFETY-WALK GENERAL PURPOSE SURFACING



4" Black



2" White

Light Duty - Fine textured slip resistant polymer, has many uses on and around boats, including trailers, boarding ladders, swim platforms, stairs, showers and

Medium Duty - Anti-slip tape offers excellent traction enhancement. Used around barefoot or deckshoe areas such as trailers, decks, docks, ladders, stairs and

COCKPITS				
Item#	Description	Size	Color	List
71-07743 (L)	Light Duty	1" x 60'	White	43.19 EA
71-07744	Light Duty	2" x 60'	White	75.39 EA
71-07745	Light Duty	4" x 60'	White	152.39 EA
71-07736	Medium Duty	1" x 60'	Black	43.19 EA
71-07737	Medium Duty	2" x 60'	Black	75.39 EA
71-07738	Medium Duty	4" x 60'	Black	152.39 EA
71-07741 (D)	Medium Duty	4" x 60'	Gray	152.39 EA
71-19297 (D)	Medium Duty	6" x 60'	Black	285.79 EA
71-07733*	Heavy Duty	4" x 60'	Black	152.39 FA

SAFETY WALK™ CUSHION MATTING



Item#

Item#

Item#

71-18899*

71-67442

71-23923*

- Spring-coiled compresses uniformly providing greater comfort and less fatique
- · Solid top allows debris to stay on top for easy cleaning · Textured top surface provides slip-resistance

Size Color List 20' x 34' 866.49 EA Black

3M™ ULTRATHON™ INSECT REPELLENT LOTION



- 34.4% Deet
- Military tested Up to 12 hours of protection against mosquitoes
- Repels deer ticks that may carry Lyme disease and mosquitoes that may carry West Nile Virus
- Splash and sweat resistant
- Patented controlled release technology

Size	List
2 oz.	10.39

ULTRATHON™ INSECT REPELLENT LOTION WITH SPONGE APPLICATOR



Perfect to keep your hands clean! Same great formula at Ultrathon Lotion, but with a sponge applicator. Repels deer ticks that may carry Lyme disease and mosquitoes that may carry West Nile Virus.

- · Military tested
- . Up to 12 hours of protection against mosquitoes
- · Splash and sweat resistant
- Patented controlled release technology

Size

List 1.5oz lotion 10.31 EA

ULTRATHON™ INSECT REPELLENT PUMP



- · With 19% Deet
- · Allows time released protection for up to 3 Hours
- Splash and Sweat resistant to ensure consistent
- Repels deer ticks that may carry Lyme Disease, and mosquitoes that may carry West Nile Virus
- Formulation developed for and used by the US Military
- · Freeze Thaw Stable

Item# 71-91454 Size 6 oz.

List 8.44 EA

ULTRATHON™ INSECT REPELLENT SRA-6





Ultrathon™ insect repellent provides long lasting protection against mosquitoes that may carry West Nile Virus, and ticks that may carry Lyme Disease. Long lasting control release technology protects for up to 8 hours. Splash and sweat resistant.

Item#	Size	Pack	List	Sale
71-67777	6 oz	6	8.49 EA	3.97

ELECTRON



SCOTCHLITE reflective sheeting is a flexible, encapsulated lens material that is precoated with a pressure-sensitive adhesive.

- Highly reflective when totally wet as well as when viewed at wide entrance angles
- Designed for nighttime visibility of life support equipment Successfully applied to most nylon, cotton, rubber and laminated or coated combinations of these materials normally used in the manufacture of life support

Item#	Size	List
71-88619	2" x 50 yds.	376.49 EA

#4811 PRESERVATION TAPE







A pressure sensitive tape designed for use in sealing of plastic sheeting, tarps, and shrink-wrap for boat storage and over-the-road transportation. Applies well in cold weather and is resistant to hot and cold temperatures. Is also resistant to common lubricants and strippable coatings. Removes

cleanly and easily up to 2 years after application when properly applied.

Item#	Size	Color	List
71-62334	2" x 36 yds.	White	82.49 EA
71-62335	3" x 36 yds.	White	123.39 EA
71-04319 (L)	2" x 36 yds.	Black	88.19 EA

MARINE FINESSE-IT™ NATURAL BUFFING PAD





Made with hand selected lamb's wool hide of natural color and trimmed to 20mm in length. Designed with a Hookit™ attachment system and 3" diameter buffing pad for use with Finesse-it™ Polishes.

Minimum order quantity is 10 pads.

Item#	Size	List
71-81470	3"	14.39 E

MARINE FINESSE-IT™ ROLOC FINISHING DISC PAD



Yellow pad is made with soft foam, Roloc™ button, and mushroom headed hooks. Use with 3 inch soft Roloc™ Disc Pad. Holds the Finesse-it™ Buffing Pad (red and white) firmly in place. Soft foam provides good conformability. Attaches to finesse-it roloc disc assembly (05540)

Item#	Size	List
71-14736 (L)	3"	18.79 EA

CLEAN SANDING 3" HOOKIT™ DISC PAD KIT





Dust extraction back up pad constructed on foam material. Designed for use with Clean Sanding Hookit™ discs. Includes 5 adaptors: 1/4-20 Ext x 5/16-24 Ext, 1/4-20 INT x 5/16-24 Ext, 1/4-28 Ext x 5/16-24 Ext, 5/16-24 Ext x 5/16-24 Ext, 5/16-24 Ext x 6mm-1.0 Ext

Item#	Description	Size	List
71-20427 (L)	Medium	3" x ½"	46.39 BG

HOOKIT™ WOOL POLISHING PAD



Single sided, yellow wool polishing pad with hook and loop attachment. Designed for compounding, polishing and providing exceptional finishes on today's paint systems.

Item# Size List 71-05713 39.69 EA

HOOKIT™ WOOL COMPOUNDING PAD





Single sided blended wool pad with 3M Hookit™ attachment. Uses 05717 and 05718 backing plate.

Item#	Size	List
71-05711	9"	35.89 EA

HOOKIT™ BACKUP PAD





Item

71-0

Enables $3M^{\text{TM}}$ SuperbuffTM Compound Pad users to use the $3M^{\text{TM}}$ Perfect-ItTM Foam Polishing Pad without having to remove the $3M^{\text{TM}}$ SuperbuffTM Adaptor 05710 from the shaft of the polisher. Fits all standard % in shaft slow-speed

Item#	Size	Threa
71-05717	7" x ³ / ₄ "	5/8" -11

List 110.99 EA

PERFECT-IT™ WOOL COMPOUNDING PAD





100% wool, single sided, compounding pad. Hookit attachment. For use with 3M™ Rubbing Compounds.

#	Size
5719	9"

List 35.69 EA

PERFECT IT™ WOOL COMPOUNDING PAD



High performance double sided, 100% wool compounding pad. Refines P1200 and finer sand scratches and other paint surface defects. Quick connect design attachment. For use with 3M™ quick release adaptor (#05752)

00100	OOLIO		
Item#	Description	Size	List
71-05753 (L)	Double sided	9"	53.49 E/
71-33279 (L)	Double sided, Low Linting	9"	55.69 EA

PERFECT-IT™ FOAM COMPOUNDING PAD



Foam polishing pad utilizing 3M's patented convoluted foam face. New reduced diameter loop attachment backing for added edge protection. Fits all standard % inch shaft slow-speed polishers. Attaches to either Hookit™ Backup Pad -#05717, or 3M™ Perfect-It™ Backup Pad - #05718.

Item#	Size	List
71-05737	8"	36.69 EA

ELECT

PERFECT IT™ FOAM COMPOUNDING PAD





High performance double sided foam compounding pad. Refines P1200 or finer sand scratches. Unique quick connect design. For use with 3M™ compounds and 3M™ quick release adaptor (#05752).

Size List 48.99 EA

PERFECT-IT™ FOAM COMPOUNDING PAD, SINGLE SIDED, FLAT BACK





Item#

71-05706 (L)

Single sided foam compounding pad used to refine P1200 or finer sand scratches. Flat back design. Coarse foam compounding pad used to apply compound to remove sanding scratches and swirls. Medium cut. Convoluted foam face design holds compounds better to reduce slinging of compound. Suggested for use with Perfect-It™ Rubbing Compound (39060, 06085, 06086). Use backup pads 05717 or 05718.

Size Item# 71-05723 (L) 8" 61.39 EA

PERFECT IT™ FOAM POLISHING PAD





Size List Item# 71-05707 (L) **62.49** EA

PERFECT IT™ ULTRAFINE FOAM POLISHING PAD





High performance double sided blue foam quick connect polishing pad. Eliminates swirl marks on painted surfaces; even on difficult dark colored cars. Unique quick connect design. Use with Perfect-It™ ultrafine machine polish and 3M[™] quick connect adaptor (#05752).

Item# Size List 71-05708 (L) 71.39 EA

PERFECT-IT™ FOAM POLISHING PAD





Convoluted black, single sided foam face produces wheel/ swirl free paint finish when used with 3M™ Perfect-It[™] foam polishing pad glazes. Attaches to either 3M[™] Hookit™ back up pad (05717) or 3M™ Perfect-It™ back up pad (05718).

Item# Size Bag List 71-05725 61.39 BG

PERFECT-IT™ FOAM BUFFING PAD





Single sided foam compounding pad designed to refine and polish sanding scratches from paint finishes. Use with Hookit™ 3" pad

Size Bag Item# List 71-05759 (L) 26.39 BG 3 2

PERFECT-IT™ ULTRAFINE FOAM POLISHING PAD





Single sided blue foam pad provides high gloss shine and helps eliminate swirl marks on painted surfaces, even on difficult dark colors. For attachment to Hookit pads.

03760		
Item#	Size	Bag
71-05760 (L)	3"	2
71-05733	8"	1

PERFECT-IT™ FOAM POLISHING PAD



List **26.39** BG

37.19 EA



Black foam polishing pad that utilizes a 3M patented convoluted foam face. Reduced diameter loop attachment backing for added edge protection. Attaches to either backup pads (#05717 or 05718). Fits all % inch shaft on slow speed polishers.

Size List Item# 71-05738 8 36.79 FA

PERFECT-IT™ BACKUP PAD





Specially designed backup pad for use with the 3M[™] Superbuff[™] Adaptor (PN 05710). This backup pad enables 3M[™] Superbuff[™] Pad users to use the 3M[™] Perfect-It[™] Foam Polishing Pad without having to remove the 3M™ Superbuff™ Adaptor from the shaft of the polisher. Fits all standard % in shaft slow-speed polishers.

Item# 71-05718 (L)

List 106.99 EA

QUICK CONNECT ADAPTOR



Polisher adaptor used to quickly connect and disconnect double sided buffing pads. Fits with 3M™ Perfect-It™ brand polishing pads. Easy to change between compound and polishing pads. % inch threads.

Item# 71-05752 (L) **Description** Quick Connect Adaptor

List 85.39 EA

FOAM COMPOUNDING PAD





Yellow convoluted foam buffing pad. Single sided. Medium Cut to refine sand scratches.

Item# Size Bag List 71-33274 2 **42.99** BG

WOOL COMPOUNDING PAD





Economical 100% wool pad. Provides excellent cut and finish on all composite surfaces.

Item#	Description	Size	List
71-33280	Double Sided Screw-On (F/Adaptor 05710)	9"	41.99 EA
71-33281	Single Sided, Hook & Loop (fits Hookit™ pads)	9"	20.59 EA

WOOL POLISHING PAD





Economical blended wool polishing pad. Soft edge polishing pad is designed for designed for use with a polisher and glaze.

Item#	Description	Size	List
71-33282	Double Sided, Screw-On	9"	42.19 EA
71-33283	Single Sided, Hook& Loop (F/Hookit back up pad)	9"	20.59 EA

PERFECT-IT™ FOAM POLISHING PAD





High Performance 3 inch single sided foam polishing pad designed to be used with 3M™ machine polishes. Use with Hookit™ 3 inch pad, 20427. The Perfect-It brand means this is 3M's highest-performing single-sided 3-inch foam polishing pad.

Item#	Size	Bag	List
71-05726 (L)	3"	2	24.39 BG

FOAM POLISHING PAD





Blue convoluted foam pad designed to refine fine swirls and provide a high gloss shine. For use with 3M™ polishes. Hook and Loop attachment. Single sided.

Item#	Size	Bag	List
71-33275	8"	2	43.19 BG

SUPERBUFF™ BUFFING PAD





100% wool, double-sided, white pad with a stiffer central hub for more cutting power. This pad has untwisted yarn construction, which allows for more surface contact, while giving excellent cut and finish. Excellent for all paints and clear coats.

Item#	Size	List
71-05703	9"	59.89 EA

SUPERBUFF™ III 2 PLUS 2 BUFFING PAD





Blended wool. Double sided. For general use with stiffer central hub for more cutting power. Excellent for all paints and clears. Fits all standard (%" Shaft) polishers. Use with adaptor 05710.

Item#	Size	List
71-05704	9"	63.09 EA

POLISHING PAD





Double sided yellow blended wool polishing pad removes compound swirl marks and fine paint surface defects. Use with 3M Machine Polishes. For use with 3M[™] Adaptor, 05710.

Item#	Size	List
71-05705	9"	68.49 EA

SUPERBUFF™ ADAPTER #05710





Adapter for the 3M™ Superbuff™ Buffing Pads (PNs 05700, 05703, 05704, and 05705). Has a 56-11 internal thread which turns in to a polisher, and a short 56-11 external thread on other end. Works with 3M™ Perfect-It™ backup pad (PN 05718).

Item#	Description	List
71-05710	Adapter	22.59 EA

BUFFING PAD CONDITIONING BRUSH





Designed to remove residue from foam and wool buffing nads

m#	List
·05761 (L)	42.09 EA

IMPERIAL™ HAND GLAZE





71-05990

A non-silicone, non-wax hand glaze, with high filling characteristics, excellent depth of shine and superior luster. Recommended for use by hand to fill swirl marks after compounding acrylic lacquer, it may also be applied to completely cured enamels and urethane paints. Specially formulated to work on all colors, and can be painted over. Do not apply in direct sunlight or onto a hot surface.

Size	List
Quart	46.19 E/

PERFECT-IT™ RUBBING COMPOUND

3N





Fast cutting rubbing compound designed to remove sanding scratches and leaves a fine finish.

 Item#
 Size
 List

 71-06085
 Quart
 73.69 EA

 71-06086
 Gallon
 242.69 EA

PERFECT-IT™ ULTRAFINE MACHINE POLISH

3M



Eliminates swirl marks and produces high gloss finish. Excellent for dark colors.

Item#	Size	List
71-06068	Quart	81.29 EA

MACHINE POLISH



Uniquely formulated to remove compound swirl marks. Contains no waxes or silicones. Best for dark colored paint finishes. Less clean up required.

Item# 71-05996 (D) Size Quart

List

64.29 EA

MARINE HIGH GLOSS GELCOAT COMPOUND



Designed to quickly remove wet sanding scratches from production gel coat. Contains no wax or silicone and leaves a high gloss finish without swirl marks. Unique formulation reduces slinging while buffing.

Item# 71-06025 List

PERFECT-IT™ MACHINE POLISH



Item# 71-06064 71-06065



High Performance Machine Polish. Quickly and effectively removes compound swirl marks and produces an outstanding finish. Good handling, easy cleanup. The Perfect-It brand means this is 3M's highest performing machine polish.

Size	
Quart	
Gallon	

List

72.39 EA 239.79 EA

PERFECT-IT™ EX RUBBING COMPOUND





rubbing compound when looking for EXtra

ooth handling

easy to use and clean up

Performs better than other compounds in all conditions. especially EXtreme conditions

Item# 71-36060 71-36061

Size Quart Gallon

List **70.39** EA 236.19 EA

FINESSE-IT™ FINISHING MATERIAL EASY CLEAN UP





Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded

Item# 71-13084 (L)

Size Gallon

List 159.49 EA

IMPERIAL™ COMPOUND AND FINISHING MATERIAL





Liquid material is designed to remove a P600 or P800 dual action sand scratch from gelcoat, with a wool pad. Designed to be used with an air or electric buffer (1500-2500rpm) equipped with 3M compounding buff pads.

06045

Description Size List 71-06044* Imperial™ Compound/Finishing Material **75.59** EA Quart Imperial™ Compound/Finishing Material 71-06045* 247.39 EA Gallon

SUPER DUTY RUBBING COMPOUND



Recommended for heavy aggressive compounding of paint. Clings to paint surface. Remains wet on the job with little or no mess. Maintains high rate of cut with constant pressure. Buffs to high gloss with minimum swirl marks. For hand or machine.

Item#	Description	Size	List
71-09004�	Super Duty Rubbing Compound	Pint	21.79 EA
71-05954*	Super Duty Rubbing Compound	Quart	37.69 EA
71-05955	Super Duty Rubbing Compound	Gallon	122.49 EA

MARINE PREMIUM MOLD & TOOL COMPOUND





scratches in tooling gelcoat (P600 or finer discs with soft interface, 1000 or finer 3M™ Wetordry™ sheets), reducing sanding and compounding time while saving time. Contains no wax or silicone. Follow with 3M™ Finesse-It™ II Finishing Material (PN 09048) for a clean high gloss finish

71-06027 (L)

Size Gallon

List 134.19 EA

FINESSE-IT MARINE PASTE COMPOUND



Well suited for boat reconditioning of heavily oxidized surfaces/finishes and removing P800 sand scratches on production gelcoat and grade 1000 or 1200 sand scratches on tooling gelcoat.

White color reduces the potential for staining of light-colored boats. Has long-working time, requiring less compound to be used per application.

Item# 71-06039

Size Gallon

List 86.49 FA

List

44.29 FA

76.19 EA

267.99 EA

MARINE FINESSE-IT™ II GLAZE



Designed to remove minor scratches and light oxidation while producing a high-gloss wet look finish on fiberglass and painted boats. Product contains no wax or silicone. It is also the suggested follow-up step after using 3M™ Marine Super Duty Rubbing Compound (PN09004)

Item# 71-09048 71-35928 * 71-35929

Size Description Marine Finesse-It™ II Glaze Pint Marine Finesse-It™ II Glaze Quart Marine Finesse-It™ II Glaze Gallon

ELECTRONICS

COLOR GLOSS RESTORER





Removes light to heavy oxidation, scratches, stains, blemishes, and fine swirl marks that compounding normally leaves behind on fiberglass gelcoat. Contains no wax or silicone. Use by hand or with electric / air powered

Item# 71-09089

09005

Item#

71-09005

71-09006®

71-09007

Description Color Gloss Restorer

MARINE FIBERGLASS RESTORER & WAX

09006

Description

and protects in one application.

Size Pint

Size

Pint

Quart

Gallon

List 38.09 EA

MARINE MULTI-PURPOSE BOAT SOAP

Description

Applicator Bottle Only

Spray Trigger Nozzle Head for Water Base

List

7.09 EA

14.29 EA





Cleans anything from dirty decks to soiled fabrics to degreasing engines. Cleans grease, oil, grime and algae. Mix concentrate with water for desired cleaning strength.

Item# 71-09034

Item#

71-37716 (L)

71-37717

Marine Multi-Purpose Boat Soap

Size Pint

List 19.29 FA

MARINE CLEAN & SHINE WAX ENHANCER





A quick and easy, "spray on/wipe off" product that recaptures that "just waxed" look and feel. Excellent for use on wet or dry surfaces; no water needed.

		L
Ite	m#	

Description

Size

List **19.69** EA

71-09033

Marine Clean & Shine Wax Enhancer

15 oz.

SHARPSHOOTER EXTRA STRENGTH NO RINSE MARK REMOVER

Sharpshooter Mark Remover

Sharpshooter Mark Remover

Marine Fiberglass Restorer & Wax

Marine Fiberglass Restorer & Wax

Marine Fiberglass Restorer & Wax

09007

Designed to remove HEAVY oxidation, chalking, fading, minor scratches plus provide protection on fiberglass/gelcoat and marine topside paints. Unique formulation combines a rubbing compound with a special blend of waxes which restores shine



List

26.99 EA

46.39 EA

132.79 EA



19344

Item#

71-19344

71-13702 (L)

Description



Designed to remove tough stains such as grease, lipstick, crayon, black heel marks and smoke film from most washable hard surfaces. Use on walls, floors, partitions, vinyl, chrome, grout, stainless steel, formica. fiberglass, ceramic or porcelain.

Size

13702

09009



MARINE FIBERGLASS CLEANER & WAX



09011

Designed to remove LIGHT to MEDIUM oxidation, clean, polish, and protect fiberglass/gelcoat and marine topside paint. Unique formulation combines a rubbing compound with a special blend of waxes which restores shine and protects in one application.

Item# 71-09009® 71-09010* 71-09011

09010 Description

SCOTCHGARD™ MARINE LIQUID WAX

Marine Fiberglass Cleaner & Wax Marine Fiberglass Cleaner & Wax Marine Fiberglass Cleaner & Wax Size Pint Quart Gallon

List **26.39** EA 39.29 EA 117.79 EA

CITRUS BASE CLEANER



List

20.79 EA

174.79 EA



Aerosol cleaner which can dissolve and flush away dirt, grease, tar, most non-curing type adhesive films, and similar substances. It is a citrus oil based cleaner that emulsifies when flushed with water. It contains no petroleum distillates. Can be used to clean and degrease metal parts, motors, tools, printing presses, concrete, or almost any dirty or greasy surface. **Not for sale or use in** California.

Quart, w/ trigger spray

5 Gallon, in dispenser

Item# 71-76394 (L)

Description Citrus Base Cleaner

24 oz. Aerosol

52.59 EA

Formulated to provide an exceptionally high gloss with unmatched durability that lasts and lasts. The unique chemistry provides protection from the sun's damaging ultraviolet rays, and is safe for use on fiberglass/gelcoat, marine topside paints, painted aluminum and marine metal parts. Contains a pleasant tropical scent.

Item# 71-09061 * 71-09062

Description Scotchgard™ Marine Liquid Wax Scotchgard™ Marine Liquid Wax Size Pint Quart

List **25.39** EA 45.69 FA

MARINE ULTRA PERFORMANCE PASTE WAX



APPLICATOR BOTTLE & SPRAY HEAD



37716







Easy on easy off carnauba wax using 3M's™ unique polymer technology. Providing durable protective high gloss finish on marine surfaces.

Item# 71-09030 Description Marine Ultra Performance Paste Wax Size 9½ oz.

List 39.69 EA **BLACK STREAK REMOVER**



Item#

71-09047®

Designed to clean hard to reach ground dirt and stains on non-skid decks. Safe for use on fiberglass, metal and painted surfaces.

> Item# Description Size 71-09063 Non-Skid Deck Cleaner Quart 34.19 FA

Designed to remove black streaks. This product is safe or use on fiberglass, metal and painted surfaces.

Size

16 oz. Spray

List

MILDEW STAIN REMOVER





Quickly removes mildew stains on vinyl, covers, cushions and other marine surfaces.

Item#	
71-09067�	

Description Mildew Stain Remover Size List 16.9 oz. Spray 18.09 EA

MILDEW BLOCK



Offers a unique solution in preventing unsightly mildew growth. Safe to use on most marine surfaces and materials above the waterline, and can be used both indoors and outdoors. Non-toxic formula helps keep surfaces looking newer and cleaner longer.

Item# 71-09065₩ **Description** Size Mildew Block 16.9 oz. Spray

List 24.89 FA

MARINE ALUMINUM RESTORER & POLISH

Description

Black Streak Remover



List

20.39 FA



Designed to remove oxidation growth and stains and restore a lustrous appearance to bare aluminum. Also removes heavy oxidation and restores shine to most painted aluminum surfaces. Testing on small area recommended. Not recommended for anodized aluminum.

Item# Description 71-09020 Marine Aluminum Restorer & Polish

Size List 18 oz. paste 39.39 EA

Item#

Description

Size

List 19.19 EA

3M MARINE METAL RESTORER & POLISH





Designed to restore and polish stainless steel, brass, bronze, copper, chrome, aluminum and other marine metals. Restores luster.

Item# 71-09019

Description Marine Metal Restorer & Polish Size 18 oz. paste

List 37.59 EA

STAINLESS STEEL CLEANER & POLISH





Easy-to-apply cleaner and polish, ideally suited for stainless steel, chrome, laminated plastics and aluminum surfaces. It wipes clean with no streaks or build-up, resists fingerprints and masks surface blemishes. Pleasant lime fragrance. Contains no petroleum distillates.

Item# **Description** 71-14002 Stainless Steel Cleaner & Polish Size List 21 oz. Aerosol **26.59** EA

SCOTCHGARD™ OUTDOOR WATER SHIELD





Item#

- · Restores water repellency
- Can be used on all synthetic outerwear and apparel, including GORE-TEX® and softshells
- Superior level of durable water protection
- · Maintains fabric breathability
- · Water-based formula is odorless when dry

· Dryer activated technology for long lasting protection Size List

71-19123 10.5 oz. 8.28 EA 71-19465 13 oz. 13.79 EA

VINYL CLEANER & RESTORER



Cleans, shines, conditions and protects vinyl, rubber and plastic surfaces. Deep cleans dirt and grime, enhances appearance. Restores natural sheen, protects surfaces. Fresh lemon scent.

71-09029*

Vinyl Cleaner & Restorer

15 oz. Spray

MARINE VINYL CLEANER AND RESTORER



Cleans, shines, conditions and protects vinyl, rubber and plastic surfaces. Deep cleans dirt and grime, enhances appearance. Restores natural sheen, protects surfaces. Fresh lemon scent.

Item# 71-16904

Size 15 oz.

List 21.79 EA

MARINE VINYL CONDITIONER PLUS PROTECTOR





Designed to clean, condition, and protect marine vinyl and rubber components. Gel formula gives you better application control than liquids.

Item# 71-09023 @

Description

Marine Vinyl Conditioner Plus Protector

Size 8 oz

List 22.79 EA

GLASS CLEANER



Easy to use, quick acting, non-streaking aerosol glass cleaner that is also effective on chrome, plastic and metal.

Item# **Description** Size List 71-08888 Glass Cleaner 6.99 EA 19 oz.

PAINT BUSTER HAND CLEANER





Cream type and offers superior performance in removal of marine bottom and topside paints, primers, varnishes, fairing compounds, putties, adhesive and sealants from skin. Non-toxic and non-caustic, enabling quick removal of marine repair and refinish materials from hands without the use of skin damaging solvents.

Item# 71-05975 (L)

Description Paint Buster Hand Cleaner Size List 9.75 oz. tube **34.99** EA

PERFECT-IT™ YELLOW DETAILING CLOTH





Removes oily or filmy residue including waxes, polishes, glazes and fingerprints. Ideal for paint, chrome, glass, dashboards, and more. Unique super-soft micro-texture won't scratch or streak delicate surfaces.

Item# 71-06016 (L) Size 12" x 14" Pack 6

List 43.99 PK

ALL PURPOSE TACK CLOTH





Excellent for cleanup just before painting. Use to remove dirt, lint, dust and sanding particles. Use again and again. Stays soft.

Priced each/sold in multiples of 10.

Item# 71-03192 (L) Size 16" x 20

List 2.59 EA

SCOTCH-BRITE™ SCRUB





Scotch-Brite is permanently bonded to handle to provide ease and quickness for a

variety of cleaning t	asks.		
Item#	Grade	Color	List
71-01008 (L)	Coarse	Black	4.69 EA
71-01009 (L)	Medium	Blue	4.79 EA
71-01010 (L)	Fine	White	4.69 EA

SYNTHETIC STEEL WOOL PADS





10115



Combination of synthetic fibers and abrasive particles that work like steel wool. Easier on hands, resist clogging, and can be rinsed and reused. Will not shred, splinter or rust. Outlasts regular steel wool.

List
FISE
4.59 PK
4.59 PK
4.59 PK
4.59 PK

SCOTCH-BRITE™ HAND PAD



04028: Ultra fine scuffing pad. Used for final sanding/ scuffing wood, varnish solvent resistant.

07445: Light duty pad. Very fine finishing.

04029: For general scuffing before applying paint or varnish. Also for cleaning engine parts (solvent resistant).

Item#	Size	Grade	Color	Box	List
71-04028 (L)	6" x 9"	Ultra Fine	Grey	20	39.69 BX
71-07445	6" x 9"	Very Fine	White	20	41.09 BX
71-04029	6" x 9"	General	Maroon	20	39.69 BX

SCOTCH-BRITE™ GENERAL PURPOSE SCOURING PAD





- · Synthetic fiber scouring pad. It replaces steel wool and metal sponges. Long lasting and rust resistant.
- · Sold in full boxes only.

Item#	Size	Grade	Color	Box	List
71-08293 (L)	6" x 9"	General #96	Green	20	25.89 BX
71-05509 (L)	6" x 9"	Coarse HD #86	Green	12	38.59 BX

DOODLEBUG PAD HOLDER KIT





Swivel head holder for doodlebug pads. Most commonly used with 11/8" by 5' wooden garage handle (not included). Kit includes: 1 pad holder, 1 brown coarse pad and 1 white fine nad

Item# 71-6472

74.09 EA

DOODLEBUG CLEANSING PADS





Designed for delicate surfaces and light cleaning jobs. Great for windows, ceramic tile, etc.

Item#	Size	Grade	Color	Box	List
71-8440	4½" x 10"	Fine	White	5	19.99 BX
71-8242	4½" x 10"	Medium	Blue	5	19.99 BX
71-8541	4½" x 10"	Coarse	Brown	5	19.99 BX

GENERAL PURPOSE & SCUFF SPONGES





Three-dimensional non-woven material laminated to a cellulose sponge material. May be used wet or dry. Hand held size offers convenience, comfort and reduces waste.

Priced individually. Sold in bag of 10 only.

Item#	Grade	Size	Color	List
71-07441	General Purpose Sponge	6" x 9"	Maroon	5.19 EA
71-07439	Scuff Sponge	6" x 9"	White	5.29 EA

ELECTRONICS

SOFTBACK SANDING SPONGES





02600





02601

Provides flexibility and conformability to allow for sanding by hand in areas inaccessible to machine sanding. They feature aluminum oxide mineral coating on a foam pad with a waterproof bonding system. Can be used either wet or dry when sanding on wood, fiberglass/gelcoat, marine paints, metals and plastic.

Item#	Description	Grade	Size	Box	List
71-02600	Microfine	1200-1500	4½" x 5½"	20	81.69 BX
71-02601	Ultrafine	800-1000	4½" x 5½"	20	81.69 BX
71-02602 (L)	Superfine	500-600	4½" x 5½"	20	81.69 BX
71-02604 (L)	Fine	320-400	4½" x 5½"	20	81.69 BX
71-02606 (L)	Medium	120-180	4½" x 5½"	20	81.69 BX

FLEXIBLE SANDING SPONGES



List

3.19 EA



METAL FINISHING PAD





Designed for removing light rust and cleaning and brightening metal. Made from a tough, non-woven synthetic material that won't rust or splinter like steel wool, 4%" x 11".

Sold in

ili case pack of to oili	у.		
Item#	Grade	Color	List
71-07414	Medium	Maroon	2.99 EA

WOOD FINISHING PAD





For smoothing bare wood, rubbing in furniture oils and denibbing between coats of stain, sealer or varnish. Made from a tough synthetic material that won't rust or splinter like steel wool.

Sold in case pack of 10 only.

Item#	Grade	Color	List
71-07415	Medium	Gray	2.99 EA

STRIPPING PAD





Designed for use with chemical strippers in removing paint and varnish. Made from a tough, non-woven synthetic material that won't rust or splinter like steel. 4%" x 11".

Sold in case pack of 10 only.

lanu#	Crada	Color	Link
Item#	Grade	Color	List
71-07413	Coarse	Green	2.99 EA

RUBBER SANDING BLOCK





Made of pliable rubber for use on flat or contoured surfaces. Use with regular sandpaper.

Item#	Size	List
71-09292	2¾"W x 5" L	7.09 EA

WET OR DRY™ TRI-M-ITE PAPER SHEETS





To be used wet or dry for sanding old finishes, fine feather edging plus surface work. Silicon carbide, closed coat product bonded with a waterproof resin. Note: 24001 is sold in packs of 50 only.

Item#	Grade	Size	Pack	List
71-02000	600A	9" x 11"	50	80.99 PK
71-02002	400A	9" x 11"	50	80.99 PK
71-02003*	360A	9" x 11"	50	80.99 PK
71-02004 (L)	320A	9" x 11"	50	80.99 PK
71-02005 (L)	280A	9" x 11"	50	80.99 PK
71-02007	220A	9" x 11"	50	80.99 PK
71-02014 (L)	180C	9" x 11"	50	80.89 PK
71-02015	150C	9" x 11"	50	86.09 PK
71-02016 (L)	120C	9" x 11"	50	91.19 PK
71-02017 (L)	100C	9" x 11"	50	106.69 PK
71-02018 (L)	80C	9" x 11"	50	119.29 PK
71-24001 (L)	60C	9" x 11"	50	3.29 EA

IMPERIAL WET OR DRY™ PAPER SHEETS





Levels minor dust nibs and for light sanding to adjust mismatched orange peel on all automotive paints. Most flexible backing with more consistant scratch pattern.

Item#	Grade	Size	Pack	List
71-02044	2000	5½" x 9"	50	66.49 PK
71-02023	1500	5½" x 9"	50	66.49 PK
71-02022 (L)	1200	5½" x 9"	50	66.49 PK
71-02021	1000	5½" x 9"	50	66.49 PK
71-02032 (L)	1500	9" x 11"	50	132.89 PK
71-02033 (L)	1200	9" x 11"	50	132.89 PK
71-02034 (L)	1000	9" x 11"	50	132.89 PK
71-02035	P800	9" x 11"	50	88.29 PK
71-02036 (L)	P600	9" x 11"	50	88.29 PK
71-02037	P500	9" x 11"	50	88.29 PK
71-02038 (L)	P400	9" x 11"	50	88.29 PK
71-02040 (L)	P320	9" x 11"	50	88.29 PK
71-02043 (L)	P220	9" x 11"	50	88.29 PK
1				

IMPERIAL WET OR DRY™ PAPER SHEETS





Used in wet sanding. Use for scuffing the blend area prior to painting. Most flexible backing with more consistent scratch pattern

Item#	Grade	Size	Pack	List
71-32035	P800	9" x 11"	5	9.59 PK
71-32036	P600	9" x 11"	5	9.59 PK
71-32038	P400	9" x 11"	5	9.59 PK
71-32040	P320	9" x 11"	5	9.59 PK
71-32043	P220	9" x 11"	5	9.59 PK

WET OR DRY™ SHEETS #413Q





Use wet or dry for sanding old finishes, fine feather edging plus surface work. It is a silicon carbide, closed coat product with a waterproof resin.

Item#	Grade	Size	Sleeve	List
71-9187123/4X9*	600A	2¾" x 9"	200	.39 EA
71-9187323/4X9*	400A	2¾" x 9"	200	.39 EA

TRI-M-ITE CUSTOM CUT SHEET #415N





· Minimum Order: 200 sheets

Item#	Grade	Size	List
71-9467623/4X171/2*	220A	2¾ X 17½"	.49 E

PRODUCTION PAPER SHEETS





An aluminum oxide sheet. Paper backing. Dry sanding only by machine or hand on fiberglass, wood or metal. Open coat with tough aluminum oxide mineral.

Item#	Grade	Size	Pack	List
71-02103 (L)	220A	9" x 11"	100	53.89 PK
71-02104 (L)	180A	9" x 11"	100	53.89 PK
71-02105 (L)	150A	9" x 11"	100	77.09 PK
71-02106 (L)	120A	9" x 11"	100	77.09 PK
71-02107 (L)	100A	9" x 11"	100	77.09 PK
71-02108 (L)	80A	9" x 11"	50	43.79 PK
71-02112	150C	9" x 11"	100	105.29 PK
71-02113	120C	9" x 11"	100	105.29 PK
71-02114	100C	9" x 11"	100	105.29 PK
71-02115 (L)	80D	9" x 11"	50	59.19 PK
71-02116 (L)	60D	9" x 11"	50	66.89 PK
71-02117	50D	9" x 11"	50	76.99 PK
71-02118 (L)	40D	9" x 11"	50	87.39 PK
71-02119 (L)	36D	9" x 11"	50	98.89 PK

PRODUCTION PAPER SHEETS





An aluminum oxide sheet. Paper backing. Dry sanding only on machine or by hand. Used for finishing plastic filler and scratch refinement of bare metal.

32115		32118		
Item#	Grade	Size	Pack	List
71-32115	80D	9" x 11"	5	9.29 PK
71-32118	40D	9" x 11"	5	13.89 PK

PRODUCTION RESINITE GOLD PAPER SHEETS





Use for for rough featheredging. Could be used for final sanding of plastic filler and putty.

Item#	Grade	Size	Pack	List
71-32545	P180A	9" x 11"	5	8.59 PK

PRODUCTION RESINITE FRE-CUT GOLD PAPER SHEETS





Utilizes a premium aluminum oxide mineral, and an improved paper backing that results in an improved rate of cut, increased flexibility, increased abrasive life and uniform, consistent finish.

Item#	Grade	Size	Pack	List
71-02539	P400A	9" x 11"	50	71.89 PK
71-02549	P80A	9" x 11"	50	80.99 PK

SCOTCH-BRITE™ MULTI FLEX ABRASIVE SHEET ROLL





General Purpose. For very fine finish applications. Ultra flexible and conformable for cleaning or fine finishing. Pop-up dispensing saves time and eliminates waste. Replaces steel wool to eliminate contamination.

Item#	Grade	Size	Roll	List
71-07521	Very Fine	4" x 8"	60	72.69 EA

3M™ PAPER SHEET 414N





A silicon carbide sheet. A weight light paper backing. Features an anti-loading stearate coating.

Item#	Grade	Size	List
71-9359823/4X171/2*	320A	2¾" x 17½"	.59 EA
71-414N275X175220A*	220A	2¾" x 17½"	.39 EA

UTILITY CLOTH ROLL





Item# 71-19783 (L) 71-19784 (L) 71-19789

71-19792 (L)

An aluminum oxide abrasive product sheet. 1" wide constructed on a J weight, durable cloth backing. Primary market: metalworking.

Grade	Size	List
P400	1" x 50 yds.	41.19 EA
P320	1" x 50 yds.	41.19 EA
P150	1" x 50 yds.	41.19 EA
P80	1" x 50 yds.	42.39 EA

TRI-M-ITE CLOTH UTILITY ROLLS

314D





For light deburring, clean-up and finishing metal surfaces.

Item#	Grade	Size	List
71-05022 (D)	320J	1½" x 50 yds.	85.79 EA
71-05025	220J	1½" x 50 yds.	93.69 EA
71-05026	180J	1½" x 50 yds.	93.69 EA
71-05029	100J	1½" x 50 yds.	93.69 EA

CLOTH BELT 241A





Durable cloth-backed belts are generally good choices for applications ranging from heavy duty grinding to fine finishing. They are resistant to tearing and will not easily nick.

Item#	Size	List
71-138078X77*	8" x 77"	24.59 EA

STIKIT™ CLOTH DISC ROLL 202DZ



3M™ Stikit™ Cloth Disc Roll 202DZ discs offer the convenience of a Stikit attachment combined with the durability of aluminum oxide on a flexible cloth backing, along with anti-static coating and other anti-loading the features for applications where dust is a concern. Our Stikit pressure sensitive adhesive backing provides easy attachment to a random orbital sander and a clean, residuefree removal.

- · General purpose
- · Designed for durability when flexibility and edge wear is important
- · Static resistant
- · Convenient disc roll form

ELECTRONICS

Item# 71-61135 (L) Grade 80 J-WEIGHT Size 5" X NH

List 99.49 EA

745i IMPERIAL STIKIT™ DISCS







Rox

Purple in color. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's Performance class abrasive. Suggested 6" backup pad 05576. 8" Discs are excellent for stripping paint or sanding marine fairing compounds. 3M's fastest cutting, longest lasting abrasive

for saving labor costs and improving quality.

Item#	Grade	Size	Box	List
71-00371 (L)	P80E	6"	100	248.39 BG
71-00372 (L)	60E	6"	50	140.49 BX
71-00373 (L)	40E	6"	50	156.79 BX
71-00374 (L)	36E	6"	50	175.79 BX
71-00377 (L)	P80E	8"	25	117.49 BX
71-00379 (L)	40E	8"	25	146.79 BX
71-00380 (L)	36E	8"	25	163.39 BX

5" IMPERIAL STIKIT™ DISC 360L





Designed for use on Gelcoat. Not recommended for sanding coatings as this abrasive contains no 3M FreCut to prevent loading. Strong film backing, fastest cutting, longest lasting abrasive construction of the Imperial product line.

Item#	Grade	Size	Roll	List
71-06222 (L)	P800	5"	125	69.39 EA
71-06220 (L)	P500	5"	125	69.39 EA
71-06217 (L)	P320	5"	125	69.39 EA

STIKIT™ GOLD DISC ROLLS 216U A-WEIGHT





The 3M™ Stikit™ Gold Paper Disc Roll 216U is designed for convenience, combining open coat aluminum oxide discs with a handy adhesive backing ready for quick and easy attachment to a Stikit backup pad (sold separately). Our disc roll makes the discs easy to grab while eliminating the use of disc liners. The open coat feature provides a more aggressive cut than a comparable closed coat abrasive of the same grade and a special loading resistant coating makes this disc a good choice when loading is a problem. Slightly more aggressive than 214U.

Item#	Grade	Size	Roll	List
71-96433 (L)	P320A	5"	175	115.19 EA
71-01423 (L)	P220A	5"	175	124.59 EA
71-01208*	P220A	5"	75	70.49 EA
71-01434 (L)	P400A	6"	175	163.29 BG
71-01435 (L)	P320A	6"	175	163.29 BG
71-01436	P280A	6"	175	163.29 BG
71-01438	P220A	6"	175	163.29 BG
71-01484*	P400A	8"	125	236.09 EA
71-01488	P220A	8"	125	230.09 BG
71-01490 (L)	P150A	8"	125	230.09 BG
71-01493*	P80A	8"	125	248.39 EA

3M™ STIKIT™ GOLD "C" WEIGHT 236U DISC ROLL







Non-staining Fre-Cut discs Strong "C" weight backing provides excellent support for a tough and durable aluminum oxide mineral. Pressure sensitive adhesive ensures excellent adhesion to Stikit pads. Use on aluminum, carbon steel, fiberglass, gelcoat, composites, softwood, hardwood and solid

surface. Also AOEM finish prep/repair, blending, finishing, orbital sanding, prepping metal prior to paint, and general random orbital sanding applications.

	, 9			
Item#	Grade	Size	Roll	List
71-55547 (L)	P320C	5"	100	57.99 BG
71-55545 (L)	P220C	5"	100	57.99 BG
71-86492*	P180C	5"	100	56.49 BG
71-55544 (L)	P180C	5"	100	57.99 BG
71-55540 (L)	P80C	5"	100	62.79 BG
71-55568	P400C	6"	100	81.89 BG
71-55567 (L)	P320C	6"	100	81.79 BG
71-55565	P220C	6"	100	81.89 BG
71-55563	P150C	6"	100	81.89 BG
71-86470*	P120C	6"	100	79.69 BG
71-55562 (L)	P120C	6"	100	81.89 BG
71-55561	P100C	6"	100	81.89 BG
71-55560	P80C	6"	100	88.69 BG

236U/216U STIKIT™ GOLD DISC ROLL





"C" weight backing. Pressure sensitive adhesive coating. For gelcoat, wood and plastic applications.

(AVAILABLE IN	CANADA C	JNLY)	
Item#	Grade	Size	Roll
71-C01441*	P120	6	125

255L STIKIT™ GOLD FILM DISC ROLLS



List NaN FA



The 3M™ Stikit™ Gold Film Disc Rolls are designed for high performance use on tougher to sand Marine paint, gel coat and primer systems. This pressure-sensitive adhesive disc is constructed of a high performance aluminum oxide mineral strongly bonded to a smooth film backing. Cuts fast, lasts long and leaves a consistent finish. 75 discs/roll,

Item#	Grade	Size	Roll	List
71-01325	P320	6"	75	124.59 EA
71-01328	P220	6"	75	122.29 EA
71-01333	P80	6"	75	153.39 EA

STIKIT™ IMPERIAL™ GOLD "F" WT. DISC ROLLS







Tough and durable aluminum oxide mineral bonded with heat resistant resin to a strong "F" weight backing. Excellent for scratch refinement after coarse sanding. Color is Gold.

21793		21787		
Item#	Grade	Size	Roll	List
71-21793 (L)	80F	6"	100	134.89 BG
71-21794 (L)	60F	6"	100	149.99 BG
71-21785 (L)	120F	8"	50	113.09 BG
71-21787	80F	8"	50	121.99 BG
71-21788 (L)	60F	8"	50	137.29 BG

SANDING DISC



Designed for power sanding. Use the 180 grit 6 inch discs on a dual action orbital sander to quickly shape and sand body

Item#	Grade	Size	Pack	List
71-31439	180A	6"	5	6.19 PK
71-31443	80A	6"	5	6.69 PK

STIKIT™ GOLD FILM DISC ROLL





An aluminum oxide Stikit™ gold disc roll constructed on a film backing. Designed for high-performance use on tougher to sand Marine paint, gelcoat and primer systems. Cuts fast, lasts long and leaves a consistent finish.

Item#	Grade	Size	Roll	List
71-82471 (L)	P80	5"	100	93.19 EA

STIKIT™ FINISHING FILM DISCS





Designed for use in scuff sanding before painting. removing runs, dust nibs, and excess orange peel from topcoats prior to compounding. Mineral bonded to a film hacking

Item#	Grade	Size	Box	List
71-01318 (L)	P1200	6"	100	168.99 BX
71-01319 (L)	P1000	6"	100	168.99 BX
71-01320 (L)	P800	6"	100	168.99 BX
71-01321 (L)	P600	6"	100	168.99 BX

STIKIT™ RED ABRASIVE DISC



Economical abrasives that deliver "Best in Class" performance on a variety of substrates. Adhesive backed Stikit™ abrasive discs allow for easy attachment and removal where DA sanding is used. Stikit™ adhesive backed abrasive discs allow for easy attachment and removal where dual action sanding is used. Used for paint stripping, filler and putty sanding and for rough feather edging. Can be used with 3M™ Random Oribtal Sanders. Hole Design: No Holes.

ltem#	Grade	Size	Roll	List
71-01115	P100	6"	100	62.59 BX

3M™ RED ABRASIVE STIKIT™ DISC VALUE PAK





Economical abrasives that deliver "Best in Class" performance on a variety of substrates. Adhesive backed Stikit™ abrasive discs allow for easy attachment and removal where DA sanding is used. Stikit™ adhesive backed abrasive discs allow for easy attachment and removal where dual action sanding is used. Used for paint stripping, filler and putty sanding and for rough feather edging. Can be used with 3M™ Random Oribtal Sanders. Hole Design: No Holes. Sold per Box

Item#	Grade	Size	Pack	List
71-01260	P80D	6"	25	18.59 PK
71-01100	P80D	8"	25	61.49 BX

3M™ RED ABRASIVE STIKIT™ ROLL





3M™ Red Abrasives are a comprehensive line of economical abrasives

- · Performance Backing: A Weight Paper Backing
- · Hole Design:No Holes
- · Color: Red
- Sanding Surface: Clear Coat, Fiberglass, Filler, Metal, Paint, Plastic

Item# 71-01688 Size 23/4" x 25 yd

List **52.29** EA

GREEN CORPS STIKIT™ PRODUCTION DISCS









An all new mineral/bond construction and tough "E" weight backing to provide for a fast cutting, long lasting abrasive disc. Excellent for coarse sanding of hulls and deck areas. Individually lined. No hole.

Item#	Grade	Size	Box	List
71-01547	40E	6"	100	258.49 BX
71-01548 (L)	36E	6"	100	289.99 BX
71-01556 (L)	60E	8"	50	180.49 BX
71-01550	40E	8"	50	237.39 BX
71-01551 (L)	36E	8"	50	264.29 BX
71-01552 (L)	24E	8"	20	103.09 BX

STIKIT™ GREEN FRE-CUT™ PRODUCTION DISCS





Tough "D" weight paper backing. Durable and longer lasting disc that has a pressure-sensitive backing for easy application.

Item#	Grade	Size	Roll	List
71-01549	80D	8"	50	187.29 BX

STIKIT™ GREEN FRE-CUT™ PRODUCTION DISCS





More durable and longer lasting discs. Pressure-sensitive backing for easy application.

Item#	Grade	Size	Pack	List
71-31550	40E	8"	5	26.99 PK

Item#	Grade	Size	Roll	List
71-01602*	P400A	5"	100	44.09 BG
71-01603*	P320A	5"	100	43.29 BG
71-01604*	P240A	5"	100	43.29 BX
71-01605*	P220A	5"	100	43.29 BX
71-01606*	P180A	5"	100	43.29 BX
71-01607*	P150A	5"	100	43.29 BG
71-01608*	P120A	5"	100	43.29 BX
71-01609*	P120A	5"	100	43.29 BX
71-01610*	P80D	5"	100	50.29 BX
71-01105*	P800A	6"	100	57.99 BX
71-01106*	P600A	6"	100	57.99 BX

3M™ RED ABRASIVE STIKIT™ DISC

Item#

71-01107*

71-01109

71-01110*

71-01114*





Abrasive disc used for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.

STIKIT™ SOFT 8" DISC PAD

Orange vinyl pad face provides good adhesion and allows easy removal of discs. Soft foam construction and tapered edge offer high degree of conformability, providing uniform finish when sanding contours and curves. Fits all standard (6/4" chaft slow speed policyber. May seft opporting paged: (5%" shaft) slow speed polishers. Max. safe operating speed: 3000 RPM.

Item#	Description	Size	Shape	Thread	List
71-05568 (L)	Soft	8" x 1"	45°	%-11 INT	105.89 E/

STIKIT™ DISC HAND PAD





For hand sanding. Eliminates finger marks and has excellent conformability when used on contours.

6" x 1/4"

STIKIT™ 5" DISC PADS



List

57.99 BX

57.89 BX

57.99 BX

57.99 BX



Provides support on dual action sanders for 3M™ Stikit™ discs. Durable foam body. Yellow vinyl pad face provides good disc adhesion yet allows easy disc removal. Max operating speed: 10,000 RPM

Size

6"

6"

6"

Roll

100

100

100

100

Grade

P500A

P320A

P240A

P120A

Item#	Description	Size	Shape	Thread	List
71-05575 (L)	Medium	5" x 3/4"	45°	5/16-24 EXT	28.69 EA

STIKIT™ 6" DISC PAD





Yellow vinyl pad face provides good disc adhesion yet allows easy disc removal. Pad is lightweight, shock resistant and well balanced. Maximum safe operating speed: 7000 RPM.

Item#	Description	Size	Shape	Thread	List
71-05576 (L)	Medium	6" x 3/4"	45° -	5/16"-24 EXT	56.79 EA

STIKIT™ LOW PROFILE FINISHING DISC PAD





Utilizes a soft foam construction for fine finish sanding. Maximum safe operating speed: 10,000 RPM.

Item#	Description	Size	Thread	List
71-05545 (L)	Soft	5" x ¹ / ₁₆ "	5/16-24 EXT	29.79 EA
71-05546 (L)	Soft	6" x ¹ / ₁₆ "	5/16-24 EXT	39.89 EA

STIKIT™ 8" DISC PAD





Yellow vinyl pad face provides good adhesion of the discs and allows easy removal. Edges are contoured to allow for sanding curves and close to moldings. Fits all standard %" shaft slow speed polishers. Fits all standard (5%" shaft) slow speed polishers. Max. safe operating speed is 3000 RPM.

ltem#	Description	Size	Shape	Thread	List
71-05579 (L)	Medium	8" x 1"	45°	%-11 INT	101.09 EA

STIKIT™ HAND PAD

71-05591



13.49 EA

For use with all grades of 5 inch diameter Stikit™ discs Black pads are firm yet conformable and lightweight. Makes corner and contour sanding easier.

Item#	
71-05585 (L)	
71-05586	

Description Medium Medium

Medium

Size 5"L x 2¾" W x ¾" 6" L x 2" W x 3%"

List 6.69 EA 6.99 EA

3M™ STIKIT™ DUST-FREE GOLD DISC ROLL





6 holes for dust-free sanding. Aluminum oxide. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal.

Item#	Grade	Size	Color	Bag	List
71-01643	P80A	6"	Gold	125	146.89 BG

STIKIT™ DUST-FREE GOLD "C" WEIGHT 236U DISC ROLLS (NON-STAINING FRE-CUT™)





Dust-Free Gold Disc Rolls

Item#	Description	Size	Pkg.	List
71-86478	P80	6"	100/Roll	96.09 EA

STIKIT™ GOLD SHEET ROLL





Coated aluminum oxide abrasive rolls bonded with resin and backed with pressure sensitive adhesive. Cut to desired length for use on vibrator sanders, fairing boards, and sanding blocks.

Item#	Grade	Size	List
71-02693 (L)	P220A	4½" x 25 yds.	107.79 EA
71-02694	P180A	4½" x 25 yds.	110.89 EA
71-02695 (L)	P150A	4½" x 25 yds.	107.79 EA
71-02696	P120A	4½" x 20 yds.	110.39 EA
71-02697	P100A	4½" x 20 yds.	110.89 EA
71-02698 (L)	P80A	4½" x 20 yds.	104.99 EA

ELECTRONICS

STIKITHE GOLD SHEET ROLL



ELECTRONICS

Coated aluminum oxide abrasive rolls bonded with resin and a pressure-sensitive adhesive backing. Cut to desired length for use on file shoes and sanding blocks.

Item#	Grade	Size	List
71-02589	P500A	2¾" x 45 yds.	85.79 EA
71-02590 (L)	P400A	2¾" x 45 yds.	85.79 EA
71-02591 (L)	P320A	2¾" x 45 yds.	85.79 EA
71-02594	P220A	2 ³ / ₄ " x 45 yds.	85.79 EA
71-02595 (L)	P180A	2 ³ / ₄ " x 45 yds.	85.79 EA
71-02596 (L)	P150A	2¾" x 45 yds.	85.79 EA
71-02597 (L)	P120A	2¾" x 30 yds.	85.79 EA
71-02598 (L)	P100A	2¾" x 30 yds.	85.79 EA
71-02599	P80A	2¾" x 25 yds.	85.79 EA

Item# Grade Size List 2¾" W x 16½" 71-01679 (L) P80D 24.09 BX 71-01681 P400A 2¾" W x 25 yd **37.69** EA 2¾" W x 25 yd 71-01682* P320A 37.69 EA 2¾" W x 25 yd 71-01683* P240A **37.69** EA 71-01684* P220A 23/4" W x 25 yd 37.69 FA

STIKIT™ HAND BLOCK





Made of a sturdy, durable, high strength material. These blocks have an embossed rubber face which allows good adhesion for Stikit™ sheet-rolls and Stikit™ sheets.

tem#	Size	List
'1-05440 (L)	2¾" x 5"	34.49 EA

STIKIT™ PRODUCTION™ SHEETS - PAPER



Use for stripping paint to metal, shaping and sanding plastic filler. For non-critical, short-term application.

Item#	Grade	Size	Box	List
71-02248*	40D	2¾" x 16½"	100	156.39 BX

STIKIT™ SOFT HAND BLOCK





Soft molded foam block with easy release hook face. Use with Stikit™ 2¾ inch wide rolls or sheetsfor leveling of repair area or following contours.

Item#	Size	List
71-05442 (L)	2¾" x 5"	33.29 EA

IMPERIAL STIKIT™ PURPLE ROLL





Designed to cut faster and last longer enabling the user to obtain maximum usage. Excellent for use on tough marine gelcoat, paint and primer systems

Item#	Grade	Size	List
71-00434	P80E	$2\frac{3}{4}$ " x 20 yds.	86.19 EA

STIKIT™ SANDING BLOCK



ЗМ	3M		
05672		3N	
	05693	05668	
au	311	3M	
05694	05695	05669	

IMPERIAL STIKIT™ SHEETS



This uniquely blended mineral construction and tough "E" weight backing provides for a fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.

Item#	Grade	Size	Color	Box	List
71-00391 (L)	P80E	2¾" x 16½"	Purple	50	93.89 BX
71-00393 (L)	P40E	2¾" x 16½"	Purple	50	126.39 BX
71-00394 (L)	P36E	2¾" x 16½"	Purple	50	140.49 BX

3M™ Stikit hand sanding blocks help make sanding easier in difficult locations. You can use these products with the 3M stikit sheet rolls to efficiently complete your repair or used with 3M WetordryTM abrasives.

item#	Size	LIST
71-05672	11/4" x 103/4"	17.19 EA
71-05693	13/8" x 103/4"	20.79 EA
71-05668	2½" x 5¾"	12.39 EA
71-05694	25/8" x 51/4"	22.69 EA
71-05695	25/8" x 103/4"	35.99 EA
71-05696	25/8" x 16"	51.89 EA
71-05669	21/8 x 103/4" Tear drop	53.79 EA

GREEN CORPS STIKIT™ PRODUCTION RESIN BOND **PAPER SHEETS**





Aluminum Oxide. Green. A pressure-sensitive adhesive backing for easy application to and removal from tool face. Special mineral coating plus improved mineral bond provides for fast cutting abrasive life.

Item#	Grade	Size	Box	List
71-02230	80D	2¾" x 16½"	100	139.19 BX
71-02231	40E	2¾" x 16½"	100	188.69 BX
71-02232 (L)	36E	2¾" x 16½"	100	209.99 BX

STIKIT™ SANDING BLOCK KIT



Stikit[™] foam sanding block kit contains the top seven most popular blocks packaged in a blister pack. Kit contains: PN#05693, 05694, 05695, 05672, 15669 and two 05668 blocks

Item#	Color	List
71-05692	Yellow	167.69 EA

3M™ RED ABRASIVE STIKIT™ SHEET





Abrasive sheets used for blocking primer and putty that can be cut to the desired length for use on file shoes and sanding blocks.

STIKIT™ SOFT HAND PAD





For use with StikitTM Sheet Rolls and Imperial color sanding paper sheets. This pad provides a soft controlled touch. Eliminates finger marks and edge cutting into primer and paint. Ideal for contour and light scuff sanding.

Sold in a full box of 5 Only.

STIKIT™ SANDING STICK KIT





Stikit™ hand sanding sticks help make sanding easier in difficult locations. Can be used with 3M Sticking Sheet rolls to efficiently complete your repair. They can also be used with 3M Wetordry™ abrasives. Kit contains: Three (10¾", 8" and 5¾" long) sanding sticks.

 Item#
 Color
 List

 71-05671
 Yellow
 18.89 EA

STIKIT™ HAND FILE BOARD





Sturdy design that provides a non-twisting, flat sanding surface. Can be used single or double handed. Has a blue vinyl face that allows good adhesion and release when used with Stikit™ sheets.

Item# 71-05444 **Size** 23/4" x 16"

List 87.19 EA

IMPERIAL™ HOOKIT™ PURPLE DISCS





Purple in color with a strong film backing. 3M's fastest cutting, longest lasting abrasive construction of the ImperialTM product line enables the user to obtain maximum usage of each disc. Excellent for use on tough marine delcoat, paint and primer systems.

 Item#
 Grade
 Size
 Box
 List

 71-01842 (L)
 P120C
 8"
 25
 73.49 BX

IMPERIAL™ HOOKIT™ DISCS





Purple in color with a strong film backing. Tough "E" weight backing. Excellent for stripping paint or sanding marine fairing compounds.

Item#	Grade	Size	Box	List
71-01770 (L)	P60E	5"	25	48.79 BX
71-01743 (L)	P80E	8"	25	136.39 BX
71-01745 (L)	P36E	8"	25	186.99 BX

HOOKIT™ PURPLE FINISHING FILM DISCS





The 3M™ Purple Finishing Film Hookit™ P2000 Grade Disc, is a long-lasting abrasive that produces fewer pigtails and a finer finish - It cuts similar in speed to a traditional 1500, but finishes at a 2000 grade scratch. Whether you scratch refine with 3M™ Trizact™ Discs or compound with 3M™ Perfect-It™ EX PN36060, the new 3M™ Purple Finishing Film Hookit™ P2000 Grade Disc helps save you time and money, Purple Finishing Film Hookit P2000 Grade Discs level orange peel, dust nibs or paint runs on all types of automotive paints. Appropriate for light sanding on refinish lacquer.

Item#	Grade	Size	Box	List
71-30566	P2000	5"	50	93.90 EA
71-30666	P2000	6"	50	108.39 EA

HOOKIT™ 260L FINISHING FILM DISCS





Constructed of a high performance, aluminum oxide mineral bonded to a smooth film backing. Cuts fast, lasts long, resists loading and leaves a consistent finish.

Item#	Grade	Size	Box	List
71-00950 (L)	P1500	6"	100	225.19 BX
71-00968 (L)	P1200	6"	100	201.19 BX
71-00970 (L)	P800	6"	100	201.19 BX

GREEN CORPS HOOKIT™ REGALITE DISCS





Blended mineral bonded to tough E weight backing. No holes. Fast cutting, longer lasting abrasive. Easy application to and removal from disc pad. Excellent for stripping paint or sanding marine fairing compounds.

Item#	Grade	Size	Box	List
71-00512 (L)	80E	6"	25	65.19 BX
71-00515 (L)	40E	6"	25	80.19 BX
71-00516 (L)	36E	6"	25	88.99 BX
71-00521 (L)	80E	8"	25	125.09 BX
71-00522 (L)	60E	8"	25	143.09 BX
71-00524	40E	8"	25	155.69 BX
71-00525	36E	8"	25	169.29 BX

IMPERIAL™ HOOKIT™ ROLLS





Item#	Grade	Size
71-01884*	P40E	4½" x 20 yds.

82.29 EA

List

HOOKIT™ DISCS



Designed to cut faster and last longer enabling the user to obtain maximum usage from each disc. Excellent for use on tough marine gelcoat, paint and primer systems.

Item#	Grade	Size	Box	List
71-14219*	320C	111/4"	50	105.99 BX
71-14136*	180C	111/4"	50	107.79 BX

RED ABRASIVE HOOKIT™ FILM DISC





A reattachable abrasive disc used for color sanding and paint finishing.

Item#	Grade	Size	Box	List
71-01184	P1500A	6"	25	51.69 BX
71-01185 (L)	P1200A	6"	25	51.69 BX
71-01186	P1000A	6"	25	51.69 BX

RED ABRASIVE HOOKIT™ DISC







01187

01677

A reattachable ab	rasive disc used t	for color sand	ling and paint f	ınısnıng.
Item#	Grade	Size	Box	List
71-01187	P800A	6"	50	31.99 BX
71-01189	P600A	6"	50	30.29 BX
71-01191 (L)	P500A	6"	50	31.99 BX
71-01218	P400A	6"	50	31.99 BX
71-01219	P320A	6"	50	31.99 BX
71-01220	P240A	6"	50	31.99 BX
71-01221	P220A	6"	50	31.99 BX
71-01222 (L)	P180A	6"	50	31.99 BX
71-01223 (L)	P150A	6"	50	31.99 BX
71-01224	P120A	6"	50	31.99 BX
71-01225	P100A	6"	50	31.99 BX
71-01261	P80D	6"	50	38.99 BX
71-01262	40D	6"	25	45.89 BX
71-01677 (L)	P80D	8"	25	61.29 BX
71-01678	P40D	8"	25	81.29 BX

TRIZACT™ P1500 HOOKIT™ CLEARCOAT SANDING DISC





The unique pyramid construction of Trizact abrasives ensures even wear and long life providing a consistent scratch depth throughout the sanding operation. No holes. Use damp to level minor dust nibs and for light sanding of mismatched orange peel.

Item#	Grade	Size	Box	List
71-02088 (L)	P1500	6"	25	114.19 BX

TRIZACT™ P3000 HOOKIT™ FOAM DISC





Foam disc used in a spot repair system for removing P1200-P1500 grade sand scratches. For hand sanding or machine. No holes. Hookit attachment

Item#	Grade	Size	Box	List
71-02085 (L)	P3000	6"	15	199.69 BX

GENERAL PURPOSE SCUFFING DISCS





Constructed of a durable, three dimensional, non-woven Scotch-Brite web. Designed for use on a random orbital sander. Attaches to 3M[™] Hookit[™] Disc Pad 05776.

Item#	Size	Color	Box	List
71-07467	6"	Maroon	10	41.39 BX

HOOKIT™ GOLD FILM SANDPAPER DISC



Hook and Loop attachment system Fast-cutting, long-lasting abrasive construction of the 3M Gold Film product enables the user to obtain maximum usage of each disc

Item#	Grade	Size	Box	List
71-C00973*	P400	6"	100	NaN BX
71-C00976*	P280	6"	100	NaN BX

6" HOOKIT™ DISC PAD



For use with 6" Hookit discs. The pad face securely holds the discs yet allows for easy change and reattachment of discs. Lightweight, shock resistant and well-balanced. The tough durable plastic hub and a conformable foam body are designed for a max operating speed of 7,000 RPM.

tem#	Description	Size	Shape	Thread	List
1-05776 (L)	Medium	6" x ¾"	45°	5/16-24 EXT	57.19 EA

8" HOOKIT™ DISC PAD





Soft foam construction and tapered edge provides a uniform finish when sanding contours and curves. Fits all standard (5% in shaft) slow-speed polishers. Max operating

speed 3,000 RPN	Л.	iidai'd (78 iii	Shart) Slow	speca polisticis.	wax operating
Item#	Description	Size	Shape	Thread	List
71-05768 (L)	Soft	8" x 1"	45°	5⁄8-11 INT	112.79 EA
71-05779 (L)	Medium	8" x 1"	45°	%-11 INT	105.69 EA

HOOKIT™ SOFT INTERFACE PAD



Designed for 3M[™] Hookit[™] abrasives. Improves abrasive cut and finish. Reduces vibration on dual action random orbital sanders using 3M™ Hookit™ disc pads. 6" dia. x ½" thickness x ¾" center hole.

Item#	Size	Color	List 22.29 EA
71-05777 (L)	6" dia. x ½" thick x ¾" center hole	Grav	
(4)		J. 1. J. J	

HOOKIT™ IMPERIAL FAIRING BOARD SYSTEM



Blended mineral construction and tough E weight backing. A fast cutting, longer lasting abrasive. Excellent for stripping paint or sanding marine fairing compounds.

Item#	Grade	Size	Box	List
71-01791 (L)	P80E	2¾" x 16½"	25	56.29 BX
71-01793	40E	2¾" x 16½"	25	76.79 BX
71-01794 (L)	36E	2¾" x 16½"	25	85.09 BX

IMPERIAL HOOKIT™ SHEETS - 41/2"





Designed to cut faster and last longer enabling the user to obtain maximum usage from each disc. Excellent for use on tough marine gelcoat, paint and primer systems.

Item#	Grade	Size	Box	List
71-01868	P320C	4½" x 30"	10	88.69 BX
71-01870	P220C	4½" x 30"	10	88.69 BX
71-01871	P180C	4½" x 30"	10	89.19 BX
71-01873	P120C	4½" x 30"	10	89.19 BX
71-01876	P80E	4½" x 30"	10	97.29 BX
71-01877	P60E	4½" x 30"	10	106.09 BX
71-01878	P40E	4½" x 30"	10	110.29 BX

RED ABRASIVE HOOKIT™ SHEET





Abrasive sheets used for blocking primer and putty that can be cut desired length for use on file shoes and sanding blocks.

Item#	Grade	Size	Box	List
71-01177 (L)	P320A	2¾"W x 16½"L	25	31.39 BX
71-01178 (L)	P220A	2¾"W x 16½"L	25	31.39 BX
71-01179	P180A	2¾"W x 16½"L	25	31.39 BX
71-01180 (L)	P150A	2¾"W x 16½"L	25	31.39 BX
71-01181 (L)	P80A	2¾"W x 16½"L	25	35.39 BX
71-01182	40D	2¾"W x 16½"L	25	56.69 BX

GREEN CORPS HOOKIT™ REGALITE SHEETS







Hook and loop attachment system. Mineral coating bonded to a durable "E" weight backing. Fast cutting. Use by hand or machine.

Item#	Grade	Size	Box	List
71-00539	80E	2¾" x 16½"	50	99.69 BX

GREEN CORPS HOOKIT™ REGALITE FAIRING BOARD **SHEETS**





Utilizes hook-and-loop attachment system. The special mineral coating is bonded to a durable "E" weight backing designed to last long and cut fast. Use with marine Hookit fairing boards (MMM 83497 or 83978).

Item#	Grade	Size	Pack	List
71-02637	100E	4½" x 30"	10	91.99 PK
71-02638	80E	4½" x 30"	10	93.49 PK
71-02639	60E	4½" x 30"	10	94.29 PK

HOOKIT™ HAND FILE BOARD





Firm plastic hand file board with easy release hook face. Use with Hookit[™] abrasives sheets 2¾ inch x 16 inch for leveling of repair area. Has 3 handles. Provides true flat surface.

Item#	Size	List
71-05744 (L)	2¾" x 16½"	84.29 EA

IMPERIAL HOOKIT™ 41/2" FAIRING BOARD





Item#	Description	Size	List
71-83497	Rigid Fairing Board	4½" x 30"	88.39 EA
71-83978 (L)	Flexible Fairing Board	41/2" x 30"	87.59 EA

HOOKIT™ FOAM HAND SANDING PAD





Rectangular foam hand sanding pad. Use as an accessory item with 3M Hookit™ abrasive products for sanding filler, primer and other substrates.

Item#	Size	List
71-05612	2½" x 5¼"	6.59 EA

3M™ hand sanding blocks help make sanding easier in difficult locations. You can use this with the 3M Purple clean sand sheet roll to efficiently complete your repair.

Item#	Size	List
71-05690 (L)	5%" x 2½" x 5¾"	14.89 EA
71-05685	7/8" x 13/8" x 103/4"	25.29 EA
71-05689	11/4" x 103/4"	27.79 EA
71-05686 (L)	1½" x 2%" x 5¼"	26.39 EA
71-05687	1½" x 25%" x 10¾"	42.39 EA
71-05688	1½" x 2%" x 16"	59.79 EA
71-05691	21/8" x 103/4" Tear drop	66.29 EA

HOOKIT™ SANDING BLOCK KIT

HOOKIT™ SANDING BLOCKS







Hookit[™] foam sanding block kit contains the top seven most popular blocks packaged in a blister pack. Kit contains: PN#05685, 05686, 05687, 05689, 15691 and 05690 blocks.

Item# Color 71-05684 Yellow

List **197.99** EA

HOOKIT™ SANDING STICK KIT



3M™ Hookit™ hand sanding sticks help make sanding easier in difficult locations. Kit contains: Three (103/4", 8" and 51/4" Long) sanding sticks.

71-05670 Yellow 19.19	EΑ

IMPERIAL™ HOOKIT™ DUST-FREE DISCS





Purple in color with a strong backing. Faster cutting, longer lasting. Uniquely blended mineral construction. Tough "E" weight backing.

Item#	Grade	Size	Box	List
71-01851*	P60E	8"	25	164.59 BX
71-01853 (L)	P36E	8"	25	205.69 BX

HOOKIT™ PURPLE DUST-FREE DISCS





735U. Purple color. 5 holes. A Cubitron™ abrasive grain Hookit™ disc with tab construction on a C weight, intermediate paper backing. Features an anti-loading stearate coating.

rade :	Size	Box	List
180C	5"	50	37.39 BX
120C	5"	50	37.39 BX
80C	5"	50	40.19 BX
	180C 120C	180C 5" 120C 5"	180C 5" 50 120C 5" 50

HOOKIT™ PURPLE DUST-FREE DISCS





7 holes for dust-free sanding. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality. Suggested backup pad PN 05865.

Item#	Grade	Size	Box	List
71-30784 (L)	P80E	6"	25	73.49 BX
71-30785	P60E	6"	25	84.99 BX

HOOKIT™ PURPLE DUST-FREE FINISHING FILM DISCS







The 3M™ Purple Finishing Film Hookit™ P2000 Grade Disc, is a long-lasting abrasive that produces fewer pigtails and a finer finish - It cuts similar in speed to a traditional 1500. but finishes at a 2000 grade scratch. Whether you scratch refine with 3M™ Trizact™ Discs or compound with 3M™ Perfect-It™ EX PN36060, the new 3M™ Purple Finishing Film Hookit™ P2000 Grade Disc helps save you time and money, Purple Finishing Film Hookit P2000 Grade Discs level orange peel, dust nibs or paint

runs on all types of automotive paints. Appropriate for light sanding on refinish lacquer.

- · Fewer Pigtails
- Finer Faster Finish
- · Less Compounding

ltem#	Description	Grade	Size	Box	List
71-30766	Discs w/7 holes	P2000	6"	50	119.79 EA

PURPLE CLEAN SANDING HOOKIT™ DISC





Disc with precise hole design for improved life and dust extraction. Use for shaping plastic filler, removing paint around damaged area and scratch refinement of bare metal. 3M's fastest cutting, longest lasting abrasive for saving labor costs and improving quality.

Item#	Grade	Size	Box	List
71-30483	P80C	5"	50	72.59 BX

IMPERIAL HOOKIT™ DUST FREE DISCS FEIN® PATTERN





High-performance discs designed to cut faster and last longer enabling the user to obtain maximum usage from each disc. Excellent for stripping paint or sanding marine fairing compounds. 8 hole.

ltem#	Grade	Size	Box	List
71-051131-01835	P60E	6"	25	91.79 BX
71-01836 (L)	P40E	6"	25	98.19 BX
71-01837 (L)	P36E	6"	25	108.89 BX

GREEN CORPS HOOKIT™ REGALITE DUST FREE DISCS







Pre-punched with a standard hole pattern for dust-free sanding. Designed to be used with the 3M™ Hookit™ Dust Free low profile backup pads.

Item#	Grade	Size	Box	List
71-00612 (L)	80E	6"	25	71.49 BX
71-00615 (L)	40E	6"	25	88.29 BX
71-00616 (L)	36E	6"	25	97.99 BX

CLEAN SANDING DUST FREE DISCS







Purple Disc with precise hole design for improved life and dust extraction. Use for fine featheredging or last final sanding step before priming.

Item#	Grade	Size	Box	List
71-01810 (L)	P500C	6"	50	74.99 BX
71-01811	P400C	6"	50	74.99 BX
71-01812 (L)	P320C	6"	50	74.99 BX
71-01815	P220C	6"	50	74.99 BX
71-01816 (L)	P180C	6"	50	74.99 BX
71-01817 (L)	P150C	6"	50	75.49 BX
71-01818 (L)	P120C	6"	50	75.49 BX
71-01819 (L)	P100C	6"	50	75.49 BX
71-051131-01820 (L)	P80C	6"	50	89.99 BX

CLEAN SANDING HOOKIT™ DISCS 236U





An aluminum oxide Hookit™ disc with precise hole design for improved dust extraction constructed on a C weight, intermediate paper backing CW Array Hole Pattern

	Intermedia	ate paper i	backing. GW Arra	y Hole Paπern.
Item#	Grade	Size	Box	List
71-55524	P320C	3"	50	32.79 BX
71-20824	P320C	3"	100	80.19 BX
71-55522	P220C	3"	50	32.79 BX
71-20821*	P220C	3"	100	80.19 BX
71-55521	P180C	3"	50	32.79 BX
71-55520	P150C	3"	50	32.79 BX
71-55519	P120C	3"	50	32.79 BX
		OII		
71-55518	P100C	3"	50	32.79 BX
71-55517	P80C	3"	50	32.79 BX
71-55505	P500C	5"	50	58.19 BX
71-55 <mark>50</mark> 4	P400C	5"	50	58.19 BX
71-55502	P240C	5"	50	58.19 BX
71-55503	P320C	5"	50	58.19 BX
71-55501	P220C	5"	50	58.19 BX
71-55500	P180C	5"	50	58.19 BX
71-55601	P150C	5"	50	58.19 BX
71-55600	P120C	5"	50	58.19 BX
71-55599	P100C	5"	50	58.19 BX
71-55598	P80C	5"	50	58.19 BX
71-55514	P400C	6"	50	70.29 BX
71-55513	P320C	6"	50	67.29 BX
71-55512	P240C	6"	50	67.29 BX
71-55511	P220C	6"	50	67.29 BX
71-55509	P150C	6"	50	67.29 BX
		6"		
71-55508	P120C		50	67.29 BX
71-55507	P100C	6"	50	66.29 BX
71-55506	P80C	6"	50	74.99 BX
Min. Order: 1 Box				
71-20755*	P240C	6"	50	1.49 EA
71-20752*	P150C	6"	50	1.59 EA
71-20751*	P120C	6"	50	1.49 EA
71-20750*	P100C	6"	50	1.49 EA
71-20749*	P80C	6"	50	1.59 EA



An aluminum oxide, open coat, load resistant Hookit™ disc with precise multiple hole design for improved dust extraction. Constructed on a film backing.

Item#	Grade	Size	Box	List
71-01712	P1000	5"	100	102.69 BX
71-01711	P800	5"	100	102.69 BX
71-01710	P600	5"	100	102.69 BX
71-20806	P1000	6"	100	146.39 BX
71-20805	P800	6"	100	146.39 BX
71-20804	P600	6"	100	146.39 BX
71-20802	P400	6"	100	146.39 BX
71-20801	P320	6"	100	146.39 BX
71-20798	P220	6"	100	146.39 BX

CUBRITRON™ II CLEAN SANDING HOOKIT™ ABRASIVE DISC





Revolutionary triangular shaped ceramic mineral cuts 30% faster than premium abrasives and lasts up to twice as long while delivering a finer, more uniform finish. Applications include bottom paint removal, gelcoat repair, and blister repair.

- New cutting edges continually exposed as it wears
- · Hole pattern provides the best dust removal available by allowing the the vacuum to reach virtually every part of
- Convenient Hookit™ attachment system

Item#	Grade	Size	Box	List
71-31461	P220 Grit	3"	50	49.59 EA
71-31364	P180 Grit	3"	50	49.59 EA
71-31363	P150 Grit	3"	50	49.59 EA
71-31362	P120 Grit	3"	50	55.00 EA
71-31361	P80 Grit	3"	50	55.00 EA
71-31471	P220 Grit	5"	50	74.20 EA
71-31369	P180 Grit	5"	50	74.20 EA
71-31368	P150 Grit	5"	50	74.19 EA
71-31367	P120 Grit	5"	50	60.30 EA
71-31366	P80 Grit	5"	50	72.10 EA
71-31481	P220 Grit	6"	50	79.00 EA
71-31374	P180 Grit	6"	50	79.00 EA
71-31373	P150 Grit	6"	50	79.00 EA
71-31381	P120 Grit	6"	20	31.70 BX
71-31372	P120 Grit	6"	50	83.29 PK
71-31379	P80 Grit	6"	20	38.39 EA
71-31380	P40 Grit	6"	20	72.00 BX
71-31376	P220 Grit	8"	25	137.00 EA
71-31375	P40 Grit	8"	25	184.10 EA

HOOKIT™ DUST-FREE FINISHING FILM DISC 260L





01068

For dust-free sanding. Polyester film backing. With holes. Use for scuffing the blend area prior to painting.

Item#	Grade	Size	Box	List
71-01068	P1200	6"	100	221.19 BX
71-01069	P1000	6"	100	221.19 BX
71-01070	P800	6"	100	221.19 BX
71-01071 (L)	P600	6"	100	221.19 BX
71-01083	P80	6"	75	113.89 BX

HOOKIT™ PAPER DUST FREE DISC 735U



A Cubitron™ abrasive grain Hookit™ disc with tab construction on a C weight, intermediate paper backing. Features an anti-loading stearate coating. MOS: 12,000 RPM/OPM. Accommodates Festool.

Item#	Grade	Size	Box	List
71-20977	P80	6" x ¹ 1/ ₁₆ "	50	55.79 BX

HOOKIT™ CLEAN SANDING PAPER 236U SHEET





An aluminum oxide Hookit™ sheet with precise hole design for improved dust extraction constructed on a C weight, intermediate paper backing.

Item#	Grade	Size	Box	List
71-20952*	P400C	3" x 4"	50	31.99 BX
71-20950*	P220C	3" x 4"	50	31.99 BX
71-20948*	P150C	3" x 4"	50	31.99 BX
71-24063*	P100C	3" x 4"	50	35.39 BX
71-24065*	Panc	3" x 4"	50	37 20 RY

CLEAN SANDING DUST FREE DISC PAD





Designed for 6" 3M™ Dust Free discs with Hook-it™ Designed for use with 6 hole, 7 hole, or other hole configuration dust free discs.

Item#	Size	List
71-05865 (L)	6"	86.59 EA

HOOKIT™ CLEAN SANDING PAD





33 Hole red foam for use with Hookit™ Clean Sanding Sheets for vacuum sanding applications.

Item#	Description	Size	List
71-20435	Hookit [™] Clean Sanding Pad	3" x 4" x ½"	33.69 EA

HOOKIT™ PURPLE CLEAN SANDING SHEET ROLL





Use for scuff sanding before painting and to remove runs, dust nibs and orange peel from topcoat finish. Cuts fast, resists loading. Perforated sheet roll to snap desired sheet size for hand & file applications. Unique chevron design hole configuration. For both dust-free and non-dust-free sanding. Highperformance aluminum oxide.

Item#	Grade	Size	Color	List
71-30700	P800	2¾" x 13.12 yds.	Purple	49.69 EA
71-30701	P600	2¾" x 13.12 yds.	Purple	49.69 EA
71-30702	P500	2¾" x 13.12 yds.	Purple	49.69 EA
71-30703 (L)	P400	2¾" x 13.12 yds.	Purple	49.69 EA
71-30705	P320	2¾" x 13.12 yds.	Purple	49.69 EA
71-30708	P220	2¾" x 13.12 yds.	Purple	49.69 EA
71-30709	P180	2¾" x 13.12 yds.	Purple	49.89 EA
71-30710	P150	2¾" x 13.12 yds.	Purple	49.89 EA
71-30711	P120	2¾" x 13.12 yds.	Purple	49.89 EA
71-30713	P80	2¾" x 13.12 yds.	Purple	62.39 EA
71-30716	36 E	2¾" x 8.75 vds.	Purple	58.89 EA

HOOKIT™ SOFT FOAM SANDING BLOCK KIT





Hookit™ Soft Foam Hand Sanding Block set containing 3 square sanding pads of various thickness. These are designed to be used as an accessory for our Hookit™ abrasive products for sanding filler, primer and other substrates. Just the right size for use with 2¾ Purple Abrasive Sheet Rolls.

Item# 71-05699
 Size
 List

 2¾" x 2¾"
 14.99 EA

HOOKIT™ DUST FREE DISC PAD





For use with 6 inch diameter Hookit™ D/F discs (6 dust holes Die #600HZ). Has medium density foam and a 45 degree tapered edge for flexibility. Has radial vents.

Item#	Description	Size	Thread	List
71-05876 (L)*	Medium	6" x ¾"	5∕16-24 Ext	60.89 EA

CUBITRON™ II FILE BELT





A great alternative to spot weld drilling and metal grinding applications. Provides a very fast cut, improved control and is ideal for hard to reach spots.

- 3MTM precision shaped ceramic grain continuously fractures into sharp points that cut exceptionally fast, helping increase productivity
- Precision shaped ceramic grain is engineered to run cooler, reducing metal discoloration/oxidation and the chance of heat related stress cracks
- Coated with a dry grinding aid to further enhance the product's ability to run cooler and cut faster

Item#	Grade	Size	Box	List
71-33446	P80+	$\frac{1}{2} \times 18$ "	10	36.39 BX
71-33445	P60+	½ × 18"	10	36.39 BX
71-33443	P36+	½ × 18"	10	37.49 BX

CUBITRON™ II FIBRE ROLOC™ DISC





3M™ Cubitron™ II Roloc™ Fibre Discs are engineered to cut faster, cooler and with less grinding pressure than conventional abrasives. Plus they can last up to five times longer, for increased productivity.

- 3M Precision-Shaped Grain (PSG) maintains super-sharp points that cut exceptionally fast with less pressure
- Disc life is significantly longer, completing more vehicle parts per disc and requiring fewer disc changes
- Triangular-shaped ceramic grain wears evenly, runs cool, and optimizes mineral breakdown

Item#	Grade	Size	Box	Pack	List
71-33380	P80	2"	15	6	38.49 BX
71-33379	P60	2"	15	6	38.49 BX
71-33377	P36	2"	15	6	39.49 BX
71-33392	P80	3"	15	6	46.29 BX
71-33391	P60	3"	15	6	46.29 BX
71-33389	P36	3"	15	6	47.69 BX
71-33416	P80	5"	5	5	36.39 BX
71-33415	P60	5"	5	5	36.39 BX
71-33413	P36	5"	5	5	37.39 BX
71-33428	P80	7"	5	5	43.79 BX
71-33427	P60	7"	5	5	43.79 BX
71-33425	P36	7"	5	5	44.49 BX

SCOTCH-BRITE™ SURFACE CONDITIONING DISC PAD





Disc pad connects quickly and easily to any power tool while holding Scotch-Brite™ hook and loop surface conditioning discs securely and safely. '¼" shank size.

Item#	Description	For	List
71-07494 (L)	Firm	2" x 1/8"	8.99 EA

SCOTCH-BRITE™ SURFACE CONDITIONING DISCS





Open web construction delivers a uniform, consistent finish. Resists loading and build-up. A non-woven abrasive product used for cleaning, finishing, blending and deburring applications. Contains a backing that mounts to hook and loop pads.

Sold in boxes of 25 only.

Item#	Grade	Size	Color	Box	List
71-07453 (L)	Coarse	2"	Brown	25	54.39 BX
71-07457 (L)	Medium	2"	Maroon	25	47.39 BX

GREEN CORPS ROLOC DISCS





Combines versatile Roloc with premium quality Green Corps. Generally used for hard to reach areas in paint, rust, and weld removal. Handy quick change tool for disc grinding which fits any standard ¼ in drill or air tool. Color coded. Grit can be determined by the color of the plastic holding button. Cloth YF weight backing.

	Dattom Groun 11 Holght Basiang.						
Item#	Grade	Size	Color	Box	List		
71-01396 (L)	50	2"	Green	25	59.79 BX		
71-01397 (L)	36	2"	Brown	25	62.99 BX		
71-01398 (L)	24	2"	Black	25	66.59 BX		
71-01406	50	3"	Green	25	65.29 BX		
71-01407	36	3"	Brown	25	72.69 BX		
71-01408	24	3"	Black	25	78.79 BX		

ROLOC SURFACE CONDITIONING DISC







Quickly removes cork or paper gaskets and form-in-place gasket material prior to assembling drive train components, engine blocks, heads, and valve covers. Combines with the quick "½ turnon, ½ turn-off" Roloc disc fastening system. Use in conjunction with Roloc disc pad assembly 05540 (3").

Item#	Grade	Size	Color	Box	List
71-07516	Super Fine (320-600)	2"	Gray	25	52.49 BX
71-07515 (L)	Very Fine (220-320)	2"	Blue	25	52.49 BX
71-07481	Medium (100-120)	2"	Maroon	25	51.89 BX
71-07480	Coarse (80-100)	2"	Brown	25	51.89 BX
71-07513	Very Fine (220-320)	3"	Blue	25	98.19 BX
71-07486	Medium (100-120)	3"	Maroon	25	98.19 BX
71-07485	Coarse (80-100)	3"	Brown	25	98.19 BX

ROLOC DISC PAD ASSEMBLY





A hard rubber back-up pad for use with Roloc discs. Pad assemblies come complete with a 2" x $\frac{1}{4}$ " steel shaft.

Item#	Size	List
71-05539 (L)	2"	33.29 EA
71-05540	3"	43.99 EA

ROLOC BRISTLE DISCS





Molded abrasive bristles that are designed to conform to the workpiece. The discs use the quick ½ turn on, ½ turn off Roloc fastening system. %" Taper. Removes coatings, sealant, and adhesives quickly. Compatible with right angle die grinders. Sold in boxes of 10 only.

Item#	Grade	Size	Color	Box	List
71-18732 (L)	80	2"	Yellow	10	12.69 EA
71-18730 (L)	50	2"	Green	10	12.69 EA
71-18734	50	3"	Green	10	19.59 EA

FIBRE GRIT-LOK™ RESIN BOND DISCS 785C





Ideal for a variety of grinding applications including steel, brass, bronze, aluminum and fiberglass. Fibre backing. Cubitron[™] abrasive material. Color: Orange.

Item#	Grade	Size	Box	List
71-13888	36	41/2"	25	154.79 BX
71-13889	24	41/2"	25	157.49 BX
71-5114401745*	16	7"	25	95.09 CS

ROLOC CLEAN 'N' STRIP DISC





Discs are constructed of a three-dimensional, durable web. The perfect alternative to wire brushes for removing paint, rust and light grinding.

Item#	Size	List
71-07466	4" x ½"	18.29 EA

DRY GUIDE COAT CARTRIDGE & APPLICATOR KIT





A method for identifying surface imperfections such as pinholes and deep scratches in primer. Requires no masking and there is no dry time involved. Can be used for both wet and dry sanding. Contains no solvents. Kit contains an applicator pad. Used in the 3M™ Dry Primer Sanding System. When sanding polyester filler, it ensures the filler is flat (no ripples) and that the body styling lines and contours are straight and correct. It also ensures the total primed area is sanded prior to top coating.

Item# 71-05861 **Description** Dry Guide Coat with Applicator **69.99** EA

ROLOC™+ HOLDER



A durable plastic holder for use with Scotchbrite molding and stripe removal discs and rivet cleaning disc. 1/4 inch shank fits into any recommended standard tool. Quick and easy

Item#	Size	List
71-07500	1" diameter x 1/4" shank.	24.09 EA

SCOTCH-BRITE™ STRIPE REMOVAL DISC ASSEMBLY





Large Area Stripe Removal (LASR). Stacked, solid wafer construction. 16 layer disc assembly that quickly removes vinyl stripes and graphics and their adhesive without damaging gelcoat or marine paint. Designed to be used with a variable speed buffer with a 1,500-3,000 RPM speed range. Attaching a Scotch-Brite LASR adapter is all that is necessary to convert your %"-11" shaft to accommodate the LASR disc assembly.

Item#	
71-07517	(L)

Size 8" x 5/8"

List 139.49 EA

GREEN CORPS FIBRE DISCS





All purpose grinding disc for any kind of metal grinding. High performance. Long lasting and fast cutting. Excellent for boat propeller reconditioning. Fibre backing. Hub and retainer nut attachment

Item#	Grade	Size	Box	List
71-01913 (L)	50	5" x 1/8"	20	135.99 BX
71-01914 (L)	36	5" x 1/8"	20	140.19 BX
71-01915	24	5" x ⁷ / ₈ "	20	142.99 BX
71-01922 (L)	36	7" x ⁷ / ₈ "	20	164.89 BX

SCOTCH-BRITE™ MOLDING ADHESIVE AND STRIPE REMOVAL DISC ROLOC+





A vinyl, nonabrasive material designed to remove vinyl stripes, letters and graphics from gelcoat and painted marine surfaces without damaging the finish. Required 4000 RPM tool.

Item#	Size	List
71-07501	4" x 3/8"	29.79 EA

GENERAL PURPOSE CUT-OFF WHEEL





Designed for use in cutting sheet metal, aluminum, stainless steel tubing, prop shafts, clamps and rusted bolts. For use on utility type cut-off tools. DO NOT USE ON TOOL WITHOUT GUARDS.

Item#	Size	Hole	List
71-1987 (L)	3" dia. x 1/32" W	3/8"	3.59 EA
71-1988 (L)	3" dia. x 1/16" W	3/8"	3.59 EA

TYPE C FIBRE GRINDING DISC 381C





Item#

71-81369 (L)

71-81370 (L)

Grade Size Color Box List 24 5" x 7/8" Red 25 2.29 EA 24 7" x 1/8" Red 2.99 EA

CTRONICS

CUBITRON II CUT-OFF WHEEL





This premium cut-off wheel contains precision shaped grain for ultra fast cool cutting action and long life. Auto body technicians are impressed by the outstanding cutting performance on both mild steel and ultra high strength steel. Must be used with ansi-approved flanges for type 1 cut-off wheels and a wheel guard that fits the size of the cut-off wheel. Maximum operating speed 25,000 RPM.

- 3M™ Cubitron™ II cut-off wheels with precision-shaped grain are engineered to cut faster than competitive ceramic products, offering significant productivity gains
- Triangular shaped ceramic grain wears evenly, runs cool, and optimizes mineral breakdown, for extra long life
- Rigid, reinforced resin-bonded wheel slices through almost all automotive materials including mild steel and ultra high strength steel
- Wheel must have a maximum operating speed greater than or equal to the maximum speed of the power tool used

Item#	Size	Hole	Box	List
71-33455	3" × ½16"	3/8"	5	50.29 BX
71-33456	3" × 1/25"	3/8"	5	50.29 BX

GREEN CORP CUT-OFF WHEEL








Highest performing, longest lasting wheel used for cutting sheet metal, frame rails, clamps and rusted bolts. Constructed with premium grade abrasives. DO NOT USE ON TOOLS WITHOUT GUARDS.

Item#
71-82238
71-01990 (L)



Pack 5

List **10.49** EA 58.39 PK

COMPOUND AND FINISHING MATERIAL





Fast cutting rubbing compound for use on marine gelcoat. Provides a high gloss finish.

Item#	
71-36044	
71-36045	



Size List Quart **69.79** EA Gallon 230.09 EA

Item# Color Size List 71-05206® 1 oz. tube White 13.19 EA 71-05205 3 oz. tube Black **20.49** EA **19.29** EA 71-05203 \$ 3 oz. tube White 71-06504 10 oz. cart. Black **34.19** EA 71-06500® **31.89** EA 10 oz. cart. White 71-06502 Mahogany 10 oz cart 34.99 FA 71-06501 10 oz. cart. Tan **34.99** EA

MARINE FAST CURE 5200 ADHESIVE / SEALANT





The seal is extremely strong, retains its strength above or below the water line. Stays flexible too - allows for structural movement.

Has excellent resistance to weathering and salt water. Becomes tack free in one hour and fully cures in approximately 24 hours.

Item#	Size	Color	List
71-06535	1 oz. tube	White	14.49 EA
71-05220 �	3 oz. tube	White	23.59 EA
71-06520 <i></i>	10 oz. cart.	White	38.99 EA

MARINE FAST CURE 4200 ADHESIVE / SEALANT

10 07







A one-part general purpose polyurethane that chemically reacts with moisture to deliver flexible bonds with good adhesion to wood, fiberglass, gelcoat, certain plastics and metals. Paintable and sandable. Forms watertight, weather resistant seals on joints and hardware above or below the waterline. This product is approximately half the strength of 3M 5200, which allows for disassembly of parts.

0Z.		1
-----	--	---

Item#	Size	Color	List
71-05260�	3 oz. tube	White	20.49 EA
71-06560⊕	10 oz. cart.	White	34.29 EA
71-06564	10 oz. cart.	Black	34.29 EA

FAST CURE 4000UV MARINE ADHESIVE / SEALANT



MARINE 5200 ADHESIVE / SEALANT









Polyurethane sealer. Tack free in 48 hours. Cures in 5-7 days with no shrinkage. Extremely strong above or below waterline. Stays flexible. Bonds and seals fiberglass deck to fiberglass hull, wood to fiberglass. Easy to apply with manual caulking gun. Workable up to 4 hours after application. Won't sag or flow in vertical or horizontal seams





A one part sealant that cures to form a firm, rubbery waterproof seal. Its flexibility allows for the dissipation of stress caused by shock, vibration, swelling or shrinking. Use above or below the waterline. Superior UV resistance properties. Tack free in less than 2 hours, cures in 24 hours.

3 oz

ltem#	Size	Color	List
71-05503	10 oz. cartridge	Black	29.99 EA
71-05280�	3 oz. tube	White	19.49 EA
71-06580 �	10 oz. cart.	White	29.49 EA

POLYURETHANE ADHESIVE SEALANT 550 FAST CURE



MARINE GRADE MILDEW RESISTANT SILICONE





Item#

71-62791

A fast curing polyurethane designed to cosmetically seal and bond many applications including marine and specialty vehicle markets. Excellent adhesion to concrete, wood, aluminum, most lacquered metals, polyester, glass, and stone. Good for both above and below the water line in marine applications.

Not for retail / consumer use

k	T.	AMENE STALANT SILICONE
CABIN & TRIM	WATER SEALANT SELECT	
ď	A LAND	15 3 1 q (8 m)

Adheres to metal, fiberglass, glass, non-oily woods and many plastics and abraded rubbers. Ideal for head and galley sealing applications. It forms a mildew-resistant, non-yellowing seal that remains flexible even after years of exposure.

B	-11	SEALANT
CABIN & TRIM	WHICH SEATING SETTINGS	
	salty	105 Tra (M PL)
	3 (OZ.

10 nz Size Color List White **17.19** EA Clear

Size **POLYURETHANE ADHESIVE SEALANT 560**

101/2 oz. cart.



List

13.99 EA

Item# 71-08017 3 oz. 71-08019* 3 oz. **17.19** EA 71-08027® 10 oz. cart. White 41.29 EA 10 oz. cart. 41.29 EA 71-08029 Clear



A one component, moisture curing products which form permanently elastic bonds. Bonds to a wide variety of materials including plastics, FRP, SMC, aluminum, steel, coated metal, and wood.

Color

White

Not for retail / consumer use

CARTRIDGE APPLICATOR GUN





Item# 71-49056 Size 101/2 oz. cart. Color White

List 19.99 EA For use with adhesive, sealants and glazing compound cartridges.

Item# 71-08992 (L) 71-08993 (L) Size 1/10 gallon 1/10 gallon


List **35.29** EA 115.29 EA

SCOTCH-WELD™ POLYURETHANE REACTIVE ADHESIVE **TS230**



FASTBOND™ CONTACT ADHESIVE





Color List Item# Size 71-25165 (L) 1/10 gal Off White 119.49 EA Air drying neutral-colored contact adhesive used for bonding decorative laminates, aluminum, steel, wallboard, plywood, panels, wood and other materials. Bonds immediately and permanently eliminating the need for clamping. Brushable or rollable.

Size Item# Liet 71-20272 Quart 48.39 EA

CLEAR SILICONE ADHESIVE SEALANT



List

4.79 EA

AUTOMOTIVE ADHESION PROMOTER





3M™ Silicone Sealant is an adhesive that quickly seals gaps around windows, doors, plumbing fixtures, indoors or outdoors. Dries Clear.

Item# 71-18111

Liquid primer packaged in convenient, single-use Enquid primer packaged in convenient, single-use applicator packets. Strongly recommended for use with all automotive attachment tapes for the repair of larger exterior body side moldings, trim, claddings, etc. made of injection molded plastics such as TPO and RIM. Can be applied on common low surface energy plastics used for automotive dash and interior trim applications (TPO, PPO, PP, PC, PC + ABS, etc.). One packet covers approximately 150 square inches of substrate at the recommended coating thickness.

Item# 71-06396 **Pack** List 83.69 PK

SUPER WEATHERSTRIP ADHESIVE



For adhering all types of rubber weather stripping for boats. Light colored adhesive, very fast drying, exceptional bonding strength. Can be used for adhering vinyl trim headliners and side panels. Can also be used as a gasket adhesive, on oil pans and valve covers.

Item# Size List 71-08001 5 oz. **10.59** EA

GENERAL TRIM ADHESIVE





Low VOC, clear, high strength adhesive for bonding automotive materials such as carpeting, jute pads, fabrics and plastics to metal and other surfaces. High heat resistance. Lace spray pattern and controlled spray width. Good soak in control, minimizing possibility of bleed through.

Size Item# List 71-08088 24 oz. 28.99 EA

SUPER TRIM ADHESIVE



Aerosol contact adhesive designed for bonding vinyl tops, heavyweight liners and hood silencer pads where high strength and heat resistance are needed. Fast-acting, high-strength, aerosol contact adhesive. Resistant to heat and plasticizing oils. Excellent for attaching vinyl, insulation, foam, padding and rubber parts to metal and other surfaces

Item# Size List **34.99** EA 71-08090 24 oz

SUPER 77 SPRAY ADHESIVE



High-tack, high coverage, fast drying, transparent adhesive aerosol for permanently attaching foils, carpeting, foams, paper, cardboard, cloth, etc. to painted or unpainted metals, wood, hardboard, and other base materials. Two actuators for standard spray and wide spray pattern. High initial "grab" with sufficient open time to allow for positioning of materials.

Item# Size List 71-76098 10 oz. 11.09 EA 71-21210 24 07 21.19 EA

SUPER 74 ORANGE FOAM FAST ADHESIVE



Industrial grade. Excellent aerosol adhesive for general upholstery form bonding. Ideal for bonding flexible urethane or latex foam together or to many other materials including wood, metal, fabrics and non-vinyl plastics. Fast tack and non-misting; precise spray control and variable width spray.

Item# Size List 71-82242 24 oz. 38.89 EA

HIGH STRENGTH ADHESIVE 90



The fast drying, high strength aerosol contact adhesive that 3M offers. Drying in just one to two minutes. Bonds difficult substrates including: polyethylene, polypropylene, many other plastics. Contains no methylene chloride, 1, 1, 1-trichloroethane or chlorofluorocarbons.

Item# Size List 71-30023 24 fl oz. 44.69 EA

GENERAL PURPOSE ADHESIVE REMOVER



Solvent-based formula will not harm most cured automotive paints and is also suitable for vinyl and glass surfaces. The VOC compliant (20%) aerosol adhesive remover quickly cleans wax, grease, oil, sap, bug and adhesive residue.

> Item# Size List 71-38983 12 oz. **16.69** EA

GENERAL PURPOSE ADHESIVE CLEANER



A specially blended solvent providing easy cleanup of most types of adhesives. Quickly removes waxes, greases, oil and tars. When properly used, it will not harm thoroughly dried paint, vinyl or fabrics. NOT FOR SALE IN CA, CT, DE, ME, MD, MA, MI, NJ, NY, OH, PA, RI, VA.

> Item# Size List 71-08984 Quart **26.39** EA

CITRUS BASE ADHESIVE REMOVER



Multi-purpose aerosol or bulk cleaner effective in removing many partially dried and some types of fully cured adhesives without leaving a residue.

Size List Item# 71-49048 24 07 49.49 FA

SUPER STRENGTH ADHESIVE



3M™ Super Strength Adhesive is multi-purpose and bonds with most every surface. Strong and waterproof, dries clear.

Item#	Size	List
71-6004	1 oz.	3.24 E/

3M™ INSTANT SET (90 SEC.) EXPOXY



3M™ Instant Set Epoxy automatically dispenses into equal parts and is weatherproof. Great for bonding small materials. Indoor/Outdoor. Set time in 90 seconds.

List

4.49 EA

Item# Size 71-18090 1 oz (28.3 g)

QUICK SET TIME (5 MIN.) ADHESIVE



3M™ Quick Set Epoxy automatically dispenses into equal parts and is weatherproof. Bonds most surfaces. It quickly repairs metal, china, glass and plastics. Sets up in 5 minutes and dries clear

Item# Size List 71-18091 4.39 FA 1 oz.

ACRYL-WHITE GLAZING PUTTY



Recommended for filling pin holes, scratches and other surface defects on hulls before painting. White color minimizes the possibility of color showing through the final coat as can happen when using colored putties beneath white paint. Easy sanding, fast drying, spreads easily. Has low shrinkage.

Size Item# Color List 71-05095 (L) 145 oz tube 31.09 FA White

PIRANHA™ ADVANCED FINISHING PUTTY





Two component, self-leveling putty designed for use as a skin coat over plastic filler to fill pinholes, sand scratches, low areas and other imperfections. Cures tack-free in 30 minutes. Grips tight to galvanized steel, sanded paint, aluminum, steel, SMC and fiberglass. Easy to sand. Flowable and brushable. Non-staining.

Item# Size List 71-05821 (L) 24 oz. tube **62.99** EA

LIGHTWEIGHT BODY FILLER





Cures to a tack-free state in 15 to 20 minutes. This filler has a creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing.

Item#	Size	List
71-05800 (L)	Quart	19.29 EA
71-05801 🏶	Gallon	42.29 EA

MARINE PREMIUM FILLER









vinyl-ester filler designed for marine filling and fairing

applications

above and below the waterline. Resists water absorption into hulls. decks, and other fiberglass parts. Hardener included.

Item#	Size	List
71-46002*	6 oz.	19.99 EA
71-46004®	Pint	41.59 EA
71-46005®	Quart	81.49 EA
71-46006®	Gallon	241.69 EA

MARINE HIGH STRENGTH REPAIR FILLER









46012

A two-component vinyl-ester filler formulated with short strand fiberglass for blister and other semistructural repairs. This high performance reinforced filler is designed to reduce water transmission and absorption into repaired areas, reducing the possibility of future osmotic blister damage. Hardener included.

Item#	Size	List
71-46012 *	Pint	70.89 EA
71-46013 *	Quart	107.69 EA
71-46014 ®	Gallon	296.19 EA

MARINE FILLER



3M Marine Filler is a creamy formula that achieves great adhesion to aluminum, fiberglass, wood, resin, gelcoat, SMC, cured epoxy, urethane and primers. Hardener included. Intended for above the waterline use.

60	

Item# Size List **20.79** EA 71-46018* 16.07

CREME HARDENER - BLUE



Hardening agent designed to be used with Zebra tack-free lightweight body filler, Lightweight body filler, Piranha putty, Marine high strength repair filler, or Marine premium filler. Its creamy consistency mixes easily and quickly with any of the above products.

Item#	Color	Size	List
71-05766	Blue	2.75 oz. Tube	7.79 EA

CREME HARDENER - RED



Creme hardening agent designed to be used with all 3M™ Body Repair Fillers, Fiberglass Reinforced Fillers, and Finishing Putties. Creamy consistency mixes easily and quickly.

Item# 71-05830 (L)

2.75 oz. Tube Red

Size

List 7.29 FA

SCOTCH® STEEL GRAY MASKING PAPER

Color



A strong, flexible, and pliable masking paper used for paint masking applications. Formulated to resist sealer, solvents, paints, and clear coat systems in most marine painting applications.

Item#	Color	Size	List
71-06506 (L)	Gray	6" x 1000'	55.99 EA
71-06518 (L)*	Gray	18" x 1000'	175.29 EA

SCOTCHBLOK™ GOLD MASKING PAPER



This superior masking paper offers the ultimate penetration resistance from all solvents used in todays gelcoat and paint systems. This bonded fiber formation reduces contamination of freshly painted and varnished surfaces. Provides excellent conformability and holds up well under wet sanding conditions.

Item#	Color	Size	List
71-06732 (L)	Gold	12" x 180'	32.19 EA
71-06712	Gold	12" x 750'	91.49 EA
71-06738	Gold	18" x 180'	48.19 EA

PRE-FOLDED MASKING FILM





High-density, non porous film designed for paint masking and paint overspray protection.

Item#	Size	List
71-06845	24" x 180'	11.29 EA
71-06848	48" x 180'	22.59 EA
71-77406	72" x 90'	16.89 EA
71-77407	99" x 90'	23.29 EA

OVERSPRAY PROTECTIVE SHEETING





High density, tear resistant, clear film that is treated on both sides for paint overspray adhesion. Folded to 3' for easy one-person application.

Item#	Size	List
71-06727 (L)	12" x 400'	86.69 EA

SLIP RESISTANT FILM





Designed to be used at boat builders and repair yards to protect the gelcoat deck and hull surfaces. Provides temporary protection of non-skid gelcoat surfaces on decks and other sections of fiberglass boats. During assembly or refurbishment, and in the showroom, this product helps prevent damage and avoids costly repairs and clean-ups. White vinyl material. 4 mils. Non-skid and very tacky. For indoor or outdoor use.

Item#	Size	List
71-99603	12" x 300'	71.89 EA
71-99602 (L)	24" x 300'	151.59 EA

PROTECTIVE POLYETHYLENE FILM TAPE 2E93C





Short term protection tape with polyethylene backing and acrylic adhesive. Use for interior auto/marine carpeted areas, fabric seals and headliners. 2 mil thick.

Item#	Size	Color	List
71-2E93C24X200*	24" x 200'	Clear	74.39 EA

POLYETHYLENE PROTECTIVE TAPE - #3187





Polyethylene tape with a high-tack adhesive system designed to protect textured metals, plastics and molded fiberglass materials with minimum adhesion build-up and clean removal. For optimum performance this tape should be applied and removed at a temperature not less than 60°F (16°C). Avoid prolonged exposure to water which may cause adhesive residue.

Item#	Size	Color	List
71-3187CL6X600*	6" x 600"	Clear	75.89 EA

OUTDOOR POLYETHYLENE PROTECTIVE TAPE





A black/white, 3 mil protective tape with UV-resistant adhesive and UV-resistant co-extruded polyethylene

- . Clean removal after up to 9 months of UV exposure for many surfaces
- · Clean removal after UV exposure
- Surface protection during punching, cutting, shipping, manufacturing and processing

Item#	Size	List
71-3W29XBW6X1503MIL (L)	6" x 150'	23.89 EA
71-3W29XBW12X1503MIL (L)	12" x 150'	50.69 EA

MARINE HEAVY DUTY PROTECTION TAPE - #346





Abrasion resistant. 17 mils thickness gives outstanding protection against scuffing and tearing. Offers protection on topside surfaces and cabin soles. Its adhesive transfer resistance makes it ideal for multiple uses. color: tan. Flat stock paper w/rubber adhesive. Can be left on for up to 6 months

Item#	Size	List
71-05418	12" x 60 yds.	539.69 EA
71-05419	18" x 60 yds.	809.29 EA

MARINE PROTECTIVE TAPE - #1200



Offers soil and abrasion protection for gelcoat, brightwork, metal, windows and hatches. White with black backing. For temporary outdoor use.

Size	List
12" x 150'	33.89 EA
24" x 150'	64.59 EA
	12" x 150'

SCOTCH-BLUE™ PAINTER'S TAPE 2090





Medium adhesion tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight.

tem#	Size	Color	List
71-03680	³ / ₄ " x 60 yds.	Blue	5.49 EA
71-09171	1" x 60 yds.	Blue	7.39 EA
71-09221	1½" x 60 vds.	Blue	10.49 EA
71-09168	2" x 60 yds.	Blue	13.89 EA
	,		

SCOTCH-BLUE™ PAINTER'S TAPE 2080






Removes cleanly without adhesive transfer or surface damage for up to 60 days. Low-medium adhesion tape that is ideal for smooth, freshly painted surfaces.

Item#	Size	Color	List
71-80988 (L)	3/4" x 60 yds.	Blue	7.49 EA
71-79748 (L)	1" x 60 yds.	Blue	9.89 EA
71-79749	1½" x 60 yds.	Blue	14.79 EA
71-79750 (L)	2" x 60 yds.	Blue	19.79 EA

SCOTCH® GREEN FINE LINE TAPE 218





This specially extruded matte finish, light green color polypropylene tape provides the finest color line separation available. Stretches easily for smooth curves, yet tears easily by hand. Excellent solvent and moisture resistance. Not for extended outdoor use.

Item#	Size	Color	List
71-06300	1/8" x 60 yds.	Green	35.39 EA
71-06301	1/4" x 60 yds.	Green	35.39 EA
71-04698 (L)	½" x 60 yds.	Green	18.69 EA
71-06303*	½" x 60 yds.	Green	28.29 EA
71-04699 (L)	3/4" x 60 yds.	Green	24.79 EA
71-04700 (L)	1" x 60 yds.	Green	30.89 EA

BLUE VINYL TAPE 471+



Highly conformable, excellent for masking off areas for detailed boat and bootstripe painting. Also excellent for masking over rivets on aluminum boats.

Item#	Size	Color	List
71-06405 (L)	1/4" x 36 yds.	Blue	17.99 EA
71-03120	34" x 36 yds.	Blue	24.99 EA
71-03121 (L)	1" x 36 yds.	Blue	31.29 EA

HIGHLAND™ MASKING TAPE - #2727





The unique balance of adhesive and backing provides a high degree of resistance to tearing or slivering on removal. This tape has excellent conformability and easy tear and can be used at bake temperatures up to 250°F (121°C) for one hour. Tape 2727 should not be subjected to outdoor exposure or prolonged periods of sunlight exposure because the tape may become very difficult to

Item#	Size	List
71-06541	.94 "	5.80 EA

PRECISION MASKING TAPE



Precision masking tape is a mint green paper masking tape made with a strong yet ultra-thin, ultra-smooth paper backing producing sharp paint lines with both solvent and waterborne paint systems. Removes easily without tearing or adhesive transfer

or admodive transition.	
Size	List
1/4" x 60 yds.	10.79 EA
³ / ₄ " x 60 yds.	8.29 EA
1" x 60 yds.	10.99 EA
1½" x 60 yds.	16.49 EA
2" x 60 yds.	22.09 EA
	Size ½" x 60 yds. ¾" x 60 yds. 1" x 60 yds. 1"x 60 yds. 1½" x 60 yds.

SCOTCH® PERFORMANCE GREEN MASKING TAPE 233+





Highly conformable tape provides outstanding paint lines.

Item#	Size	Color	List
71-26332 (L)	½" x 60 yds.	Green	5.39 EA
71-26334	3/4" x 60 yds.	Green	7.09 EA
71-26336	1" x 60 yds.	Green	9.69 EA
71-26338	1½" x 60 yds.	Green	13.99 EA
71-26340	2" x 60 yds.	Green	18.69 EA
71-26341 (L)	3" x 60 yds.	Green	28.69 EA

PAINT MASKING TAPE - #233





Conformable, hugs curves and contours. Not for extended outdoor use. Minimum Order: Sleeve qty. (Sold by the sleeve only).

Item#	Size	Color	Sleeve	List
71-06334	3/4" x 60 yds.	Tan	12	7.69 EA
71-06336 (L)	1" x 60 yds.	Tan	9	12.49 EA
71-06338 (L)	1½" x 60 yds.	Tan	6	15.29 EA
71-06340 (L)	2" x 60 yds.	Tan	6	20.29 EA

SCOTCH® PERFORMANCE MASKING TAPE - #2364





New proprietary 3M technology gives this strong, smooth crepe paper masking tape good holding power in a broad range of temperatures up to 300° F. Clean removal from many surfaces make this an excellent tape for many industrial applications.

- · Natural rubber adhesive for good instant adhesion
- · Easy tear, pressure sensitive

Item#	Size	Color	List
71-43353 (L)	36mm x 60yd.	Tan	13.19 EA
71-43355 (L)	72mm x 60yd.	Tan	26.39 EA

SCOTCH® SOLVENT RESISTANT MASKING TAPE - #2040





Delivers excellent, conformable adhesion with high holding power. A strong backing reduces tearing. Use with most solvent-based and lacquer coatings to produce an excellent tape line. Color is Tan (Representative image).

Item#	Size	Color	List
71-02992	1" x 60 yds.	Tan	7.59 EA
71-02993 (L)	1½" x 60 yds.	Tan	11.39 EA
71-04365	2" x 60 yds.	Tan	15.29 EA

SCOTCHMARK™ GREEN MASKING TAPE 256





lt

7

Smooth sharp edge and doesn't lose its shape when applied over a long, continuous horizontal surface. Has time limits when exposed to ultraviolet.

tem#	Size	Color	List
1-05423 (L)	3/4" x 60 yds.	Green	35.89 EA
1-04968 (L)	1" x 60 yds.	Green	44.69 EA

SCOTCH® MASKING TAPE - #2050





This tape can be removed cleanly for up to 3 days. It is a medium-high adhesion tape that is ideal for use on previously painted or varnished surfaces.

71-05617 (L) 3/4" x 60 yds. 71-05618 1" x 60 yds.
71-05610 1" v 60 vdc
71-03010 1 X 00 yus.
71-05619 1½" x 60 yds.
71-05620 2" x 60 yds.

SCOTCH® LONG-MASK™ MASKING TAPE NO. 2090



List

3.39 EA 4.59 EA

6.89 EA 9.09 EA



Utilizes a synthetic adhesive system which provides U.V. stability and adhesive transfer resistance up to seven days after application. Controlled crepe paper backing makes tape conformable and smooth for use in various paint, varnish masking applications. Bright blue color makes this tape easily identifiable. All sold per roll.

Item#	Description	List
71-03681	1" x 60 yds. (36 per case)	6.99 EA

TARTAN™ PAPER TAPE - #200





5.5 mil crepe paper tape with rubber adhesive. A utility purpose paper tape for holding, bundling, sealing, non-critical masking and a vast number of other jobs where pressure sensitive tape is needed. Should not be subjected to outdoor or UV exposure.

Item#	Size	Color	List
71-53465 (L)	1" x 60 yds.	Tan	4.99 EA
71-53467*	3" x 60 yds.	Tan	14.49 EA

SILVER WEATHER RESISTANT MASKING TAPE - #225





Silver colored coating on the backing of this crepe paper tape reflects U.V. light to provide weather resistance for up to a month's time. Prevents slivering and adhesive transfer during unmasking

Item#	Size	Color	List
71-02829	1" x 60 yds.	Silver	58.29 EA

OUTDOOR MASKING POLY TAPE 5903





Outdoor Masking Poly Tape 5903 is a poly tape comprised of heavy duty polyethylene film and synthetic rubber adhesive. It is UV and weather resistant and removes cleanly for up to one month with little or no adhesive residue on most opaque surfaces without deteriorating or fading. Conformable backing. Easy to tear by hand.

· Clean removal up to 30 days outdoors

· Moisture resistant tape

Color Item# Size List 71-31842 1.88" W × 60 YDS 15.59 EA Red



DUCT TAPE

Industrial strength backing, easy tear, abrasion resistance and tack-free edges. The rubber adhesive adheres aggressively to most surfaces for good holding power.

Item#	Size	Color	List
71-06969 (L)	2" x 60 yds.	Silver	29.49 EA

PERFORMANCE PLUS DUCT TAPE - #8979





This high performance duct tape has a unique construction of high tensile cloth and an aggressive adhesive. Designed for permanent and temporary applications, indoors and out. Sunlight/UV and water resistance allows for clean removal from most opaque surfaces. Resistance allows for clean removal with little or no adhesive residue for up to 6 months.

Item#	Size	Color	List
71-56468 (L)	2"	Blue	32.89 EA
71-56469 (L)	3"	Blue	49.29 EA

4520 PROTECTIVE SMMMS POLYPRO COVERALL W/ HOOD





The 4520 protective coverall is disposable safety work wear made of lightweight, breathable polypropylene to help reduce heat buildup and promote comfortable wear. It helps provide basic barrier protection against light liquid splashes and hazardous dusts. Key features including a 2 way zipper with storm flap, elasticized waist, ankles, and wrists.

Sold in case packs only.

CLEAR BOX SEALING TAPE #313



483 POLYETHYLENE TAPE

Clear polypropylene box sealing tape with an acrylic adhesive. Offers good adhesion to recycled liner paper and fiberboard. Suitable for cold temperature applications with easy handling and smooth dispensing.

5.3 mil polyethylene backing with rubber adhesive, low

sulfur and halogen content, conformable, good solvent

resistant properties, remains flexible to -20 degrees. Used in

general sealing of containers, electroplating and P.C. board

masking, silicone chip holding, decorative, safety marking

Item# List Size 71-42366* 48mm x 100m (2") 11.99 EA

Item# 71-05166 (L)

Size 3" x 36 yd.

and color coding. White.

List 99.99 FA

SCOTCH® BOX SEALING TAPE 372



Clear polypropylene tape with rubber resin adhesive. Resists abrasion, moisture, chemicals, and scuffing. Conforms around edges and over rough surfaces for a tight seal. High edge tear and split resistance.

Item#	Size	List
71-73047 (L)	17/4" x 109 yds	13.39 EA



4540+ PROTECTIVE MICROPOROUS COVERALL W/ HOOD







for general sealing, color coding, masking, wrapping and bundling, protecting and other light duty applications where easy unwind, easy tear and less adhesive transfer are important

Item#	Size	Color	List
71-06984	2" x 50 yds.	Gray	12.89 EA

SILVER DUCT TAPE - #3939



Designed for general purpose use in bundling, sealing and holding applications.

Item#	Size	Color	List
71-06975	2" x 60 yds.	Silver	19.59 EA


The 4540+ disposable protective coverall is made of a high quality laminated microporous material with a breathable back panel for improved air circulation. Helps provide barrier protection against light liquid splashes and hazardous dusts. Key features include a two way zipper, knit cuffs with elasticized waist and ankles, and a reinforced gusset adds extra durability.

Sold in case packs only.

Item#	Size	Height	List
71-49807	L 39" - 43"	69" - 71"	15.29 EA
71-49808	XL 43" - 45"	70" - 74"	15.29 EA
71-49809	XXL 45" - 49"	73" - 76"	15.29 EA
71-49810	XXXL 49" - 52"	76" - 78"	16.39 EA
Individually Pa	ckaged		
71-00602	L 39" - 43"	69" - 71"	16.69 EA
71-00603	XL 43" - 45"	70" - 74"	16.69 EA
71-00604	XXL 45" - 49"	73" - 76"	16.69 EA
71-00605	XXXL 49" - 52"	76" - 78"	18.09 EA

DISPOSABLE FOAM EAR PLUGS





ltem#	Description	Bo
71-1110 (L)	With Cord	10
71-1100 (L)	Without Cord	20

List 00 pr 53.29 BX 00 pr 47.39 BX

E-A-R™ EAR MUFFS





Provides ultimate comfort and reliable hearing protection Constructed of non-conductive, dielectric plastic, the durable, lightweight earmuffs can be worn over-the-head, behind-the-neck or under-the-chin.

Item#	
71-30000 (L)	

Liet 29.79 EA

WORKERS SAFETY KIT





3M™ Worker Safety Kit offers a selection of 5 popular personal safety products for eye, head/ face & hearing protection.

Kit includes:

- Protective eyewear: (1) Maxim™ protective eyewear with clear DX anti-fog hard coat lens and (1) LightVision™2 with clear DX anti-fog lens and dual LED lights for hands free lighting
- Item# Description 71-37211 Regular 71-37212* Large
- Ratchet headgear with WP96 polycarbonate faceshield
- Low-profile behind the neck earmuff and 1 pair PISTONZ™ soft foam corded earplugs

List
102.39 EA
102.39 EA

WORKERS SAFETY KIT WITH READER EYEGEAR





Safety kit designed for workers who have difficulty reading small print or who are engaged in small detail work and offers a selection of 5 popular personal safety products for eye, head/face & hearing protection

Kit includes:

- Protective eyewear:(1) BX™ Readers with clear anti-fog lens, silver frame and (1) LightVision™ with clear DX anti-fog reader lens and dual LED lights for hands free lighting
- Ratchet headgear with WP96 polycarbonate faceshield
 - Low-profile behind the neck earmuff and PISTONZ™ soft foam corded earplugs

Item#	Includes	List
71-37214*	+1.5 Diopter reader eyegear	98.39 EA
71-37215	+2.0 Diopter reader eyegear	98.39 EA
71-37216	+2.5 Diopter reader eyegear	102.39 EA

WORKERS SAFETY KIT - OVER THE GLASS





3M™ Worker Safety Kit-OTG offers a selection of 5 popular personal safety products for eye, head/face & hearing protection. Kit includes:

- Protective eyewear:(1) OX™ 1000 Over-the-glasses design (OTG) which can be worn over your prescription glasses with clear DX anti-fog hard coat lens and (1) LightVision™ Overthe-glass design with clear DX antifog lens and dual LED lights for hands Continued
- free lighting
- · Ratchet headgear with WP96 polycarbonate faceshield
- Low-profile behind the neck earmuff and PISTONZ™ soft foam corded earplugs

Item# 71-37213*

Description

Over The Glass design eyegear

List 102.39 EA

3M™ CHEMICAL SPLASH GOGGLE CLEAR LENS



Tough Duralite® polycarbonate lens absorbs 99.9% of UV rays. Indirect venting circulates air to lens while keeping liquids out. Large lens opening fits over most prescription or safety glasses. Elastic head strap for a snug fit.

Item# 71-62139 Lens List Clear 4.69 EA

TOUR GUARD™ VISITOR SAFETY GLASSES



Standard, economical protective eyewear for site visitors or general use offers impact protection, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage. Indoor or outdoor use clear lens safety glasses. Comes in ready to use dispenser.

Item# 71-62343 (L) Lens Clear

4.69 EA

SANDING & FIBERGLASS RESPIRATOR

Item#

71-08654



Provides protection against dust encountered during sanding jobs.

ı	1	U	V

Pack

I ict 8.69 PK

PARTICULATE RESPIRATOR 8210, N95





Designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction helps promote greater worker acceptance and comfort and increased wear time. Applications include grinding, sanding, sweeping, bagging and other dusty operations. Soft nose foam and adjustable noseclip help provide a custom fit and secure seal.

Item# 71-8210N95 Box

List 29.39 BX

PARTICULATE RESPIRATOR 8511, N95





Designed for applications such as welding, soldering and other operations in which metal fumes are present. including those present with ozone and nuisance levels of organic vapors. It can also be used in grinding, sanding, organic vapors. It can also be used in grinding, saluting, sweeping, bagging and other dusty/hot operations. Features the 3M™ Cool Flow™ Exhalation Valve, a cakeresistant media, and adjustable straps. NIOSH certified to have at least a 95% filter efficiency at removing solid and liquid particles of collection there are trivial. and liquid particles (excluding those containing oil). The innovative "M" nose clip helps provide a good seal against the face. The 3M cool flow exhalation valve reduces heat and humidity build up inside the respirator.

Item# 71-8511 Box 10

List 34.49 BX Ш

PARTICULATE RESPIRATOR 9211, N95





The 3M™ Aura™ Particulate Respirator 9211+, N95 is a breakthrough in comfort and convenience. This three-panel disposable flat-fold respirator features soft inner material and 3M[™] Cool Flow[™] Valve to help provide comfortable, reliable worker respiratory protection. Ideally suited for hot/dusty work settings that require long periods of wear.

- N95 Approved filtering facepiece particulate respirator
- Designed to direct exhaled air away from the nose panel, helping reduce eyewear fogging 3M™ Cool Flow™ Valve
- · Comfortable braided headbands minimizes hair pulling
- · Curved low profile design conforms well to nose and eye contours
- · Individual packaging and flat fold design
- · Soft inner materials
- Compatible with a variety of eyewear
- · Adjustable noseclip helps provide a secure seal

DO NOT USE FOR: gases and vapors, including those present in paint spraying operations, oil aerosols, asbestos or sandblasting

operations, on acrossis, assesses or sandslasting.		
Item#	Box	List
71-37193	12	43.29 BX

PARTICULATE RESPIRATOR



Use in settings that involve heat, humidity and long wear periods and where particles and nuisance levels of organic vapors may be present. Features the 3M™ Cool Flow™ Exhalation Valve for cool, dry comfort, and M-noseclip to help provide a custom fit and secure seal.

Item#	Box		ist	
71-8577	10	80.	.29	ВХ

PARTICULATE RESPIRATOR 8247. R95 WITH NUISANCE **LEVEL ORGANIC VAPOR RELIEF**



Designed to help provide comfortable protection against certain oil and non-oil based particles including those present with nuisance levels of organic vapors, such as solvents, degreasers, and resins. 3M recommended for relief against nuisance levels of organic vapors. Nuisance level refers to concentrations not exceeding OSHA PEL or applicable government occupational exposure limits, whichever is lower. Charcoal gray color.

Item#	Box	List
71-8247R95 (L)	20	116.49 BX

5000 SERIES MULTI GAS AND VAPOR RESPIRATOR



This half face respirator is lightweight and well balanced and provides the utmost in simplicity and comfort. The swept-back cartridge design enhances balance, comfort, safety and vision. The respirator comes pre-assembled and has no spare parts and requires no maintenance.

Item#	Size	List
71-5306*	Large	30.39 EA

6000 SERIES HALF FACEPIECE RESPIRATOR ONLY



71-62

NIOSH approved, re-usable half-mask respirator. Allows for greater worker flexibility by the use of different type cartridges and filters for a variety of work environments. Use with 3M[™] Filters 2000 Series, 3M[™] Filter 7093, P100, 3M™ Cartridges 6000 Series. Cartridges are simply twisted on or off Mask only

#	Description	List
200	Medium	22.29 EA
300 (L)	Large	22.29 EA

HALF FACE-PIECE ORGANIC VAPOR RESPIRATOR





NIOSH approved against certain organic vapors. Use in a variety of workplace applications. Protects against a variety of gases and vapors according to NIOSH approvals. Pre-assembled with permanently attached organic vapor cartridges. Low profile design.

Item#	Size	List
71-5101 (L)	Small	30.49 EA
71-5201 (L)	Medium	30.49 EA
71-5301 (L)	Large	30.29 EA

6000 SERIES HALF FACEPIECE RESPIRATOR ASSEMBLY





Comes with 2 replaceable 2091 P100 filters. NNIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture and construction.

Item#	Size	List
71-6291	Medium	31.69 EA

DUAL CARTRIDGE RESPIRATOR ASSEMBLY - ORGANIC VAPOR P95





Item

71-5

When properly fitted, helps provide respiratory protection from certain organic vapors and particulates at concentrations up to 10 times the permissible exposure limit (PEL). Do not use in environments that are immediately dangerous to life or health (IDLH). NIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation.

#	Size	List
32P71 (L)	Medium	39.39 EA
3P71	Large	39.39 EA

7500 SERIES HALF FACEPIECE ULTIMATE REUSABLE





Made from a durable silicone with a soft sealing surface,can be used with any of the 3M™ filters and cartridges, series 2000, 5000, 6000 and 7093. Maximized comfort in air purifying respirators for easy breathing filters and cartridges, and a soft comfortable face piece. Recommended for paint spray applications. Packout includes:

3M™ Half facepiece respirator, 2 Organic vapor cartridges (6001), 4 Particulate filters (5P71)& 2 filter retainers (501).

()			
Item#	Description	Size	List
71-37078	Packout	Medium	76.49 EA
71-37079	Packout	Large	76.49 PK
Repl. Parts	Description	Size	List
71-37083 (L)	Respirator Only	Large	45.19 EA
71-37082 (L)	Respirator Only	Medium	45.49 EA

HALF FACE-PIECE RESPIRATOR - REUSABLE





Item#	Description	Size	List
71-37082 (L)	Respirator Only	Medium	45.49 EA
71-37083 (L)	Respirator Only	Large	45.19 EA

6000 SERIES FULL FACE RESPIRATOR





Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals. Cartridges sold separately.

69nn	

680	0 69	900		
ltem#	Description	Size		List
71-6800 (L)	Respirator	Medium	:	226.79 EA
71-6900 (L)	Respirator	Large		226.79 EA
Repl. Parts	Description		Bag	List
71-6885 (L)	Faceshield Cover fits 60	00 Series	25	69.99 BG
71-6897 (L)	Head Harness Assembly	/		70.99 EA
71-37001 (L)	Combination Dual Airlin Tube #SA2600	e Back-Mounted Breathing		252.99 EA

FACESHIELD COVER



Protect the lens.

Item#	
71-6885	(L)

Description Faceshield Cover fits 6000 Series

Bag List **69.99** BG

REPLACEMENT PARTS FOR POWERED AIR RESPIRATORS





Replacement parts & accessories for 3M™ belt-mounted powered air purifying respirator (PAPR) and supplied air respirator rystems.

Item# 71-GVP441

Description Organic Vapor/High Efficiency Cartridge

List **147.79** EA

RESPIRATOR REPLACEMENT FILTERS



PPS™ PAINT PREPARATION SYSTEM



















P100 x	
4005 M	



2083 (P100) *	7093 NIOSH
Ton H	A

2091P100	2097P100	7093		
Item# 71-501 71-502 (L)	Description Pre-Filter Retainer, minimum order 20 Filter Adapter, minimum order 20	Bag	Box	List 3.49 EA 4.39 EA
71-5N11	P95 Pre-Filter		10	24.79 BX
71-5P71 (L)	P95 Particulate Filter		10	31.89 BX
71-6001	Organic Vapor Cartridge for 6000 Series or 7000 Series w/bayonet cartridge holder	2		18.69 BG
71-2071*	P95 Particulate Filter for 6000 Series or 7000 Series with bayonet filter holder			7.19 BG
71-2091P100 (L) 71-2097P100	P100 Particulate Filter P100 Particulate Filter	2		10.99 BG 16.29 BG
71-7093 (L)	P100 Particulate Filter		12	90.69 BX





16001

16114

16124

Calibrated mixing cups, flexible liners, lids with built-in 200 micron filters, and locking rings. As freshly filtered paint is dispensed, the liner collapses. This allows the spray gun to be operated at any angle in any plane through 360°, including fully inverted. Expensive, unused paint can be saved in capped liner for storage and reuse. One pot for mixing and spraying. Up to 70% savings of cleaning solvent. Faster system from mixing to disposal. Less operator exposure to solvents.

Item#	Description	Capacity	Box	List	
71-16114	Mini Lids & Liners Kit: 50 lids w/ filters, 50	6 oz.	1	161.99	ВХ
	liners, 20 seal plugs (graduated measure)				
71-16115 (L)	Mini Cup & Collar	6 oz.	2	49.49	BX
71-16000 (L)	Standard Lids & Liners Kit: 50 lids w/ filters,	25 oz.	1	211.39	BX
	50 liners, 20 seal plugs (graduated measure)				
71-16001	Standard Cup & Collar	20.3 oz.	2	63.89	BX
71-16024	Large Lids & Liners Kit: 25 lids w/ filters, 25	32 oz.	1	124.59	BX
	liners, 10 seal plugs (graduated measure to				
	28 oz. with mix ratio film insert)				
71-16023	Large Standard Cup & Collar	32 oz.	1	40.69	BX
71-16121 (L)	Mini Pressure Cup w/hose port	6 oz.	1	77.29	EΑ
71-16124	Lg Pressure Cup w/hose port	28 oz.	1	130.59	EΑ

RESPIRATOR CLEANING WIPES



Individually wrapped wipes designed for use with half mask and full facepiece respirators. Dispenser box can be wall mounted. Alcohol free. 8" x 10".

Item#	Size	Box	List
71-504 (L)	8" x 10"	100	77.09 BX

PPS™ STARTER KITS & REFILL PACKS









The PPS™ Starter Kit provides an economical way to begin experiencing the benefits of the PPS system: minimal use of cleaning solvent, increased technician efficiency, decreased material consumption, reduction of cycle time. 125 micron filters are ideal for most Water-Base paint systems and can be used for primers, sealers, base-coat, and clear coats. Please refer to paint manufacturers recommended filter size.

Starter Kit Standard Size includes (22 fl o2): 6-Pack Lids & Liners; 1-Cup & Collar (with 125 micron filters); 1-generic Mix Ratio insert; 1-bag of Sealing Plugs Starter Kit Large Size includes (28 fl oz): 6-Pack Lids & Liners; 1-Cup & Collar (with

125 micron filters); 1-generic Mix Ratio insert; 1-bag of Sealing Plugs Refill Pack Standard Size includes (22 fl oz): 12-Pack Lids & Liners (with 125 micron filters) & 1-bag of Sealing Plugs.

Refill Pack Large Size includes (28 fl oz): 12-Pack Lids & Liners (with 125 micron filters) & 1-bag of Sealing Plugs.

Item#	Description	Size	List
71-16372	Kit-Standard Size	22 fl oz	67.69 EA
71-16382	Kit-Large Size	28 fl oz	79.79 EA
71-16373	Refill Pack-Standard Size	22 fl oz	59.49 EA
71-16383	Refill Pack-Large Size	28 fl oz	70.00 EA

PPS™ PAINT PREP SYSTEM SPRAY GUN ADAPTERS







PPS™ Adapter converts paint spray guns for use with the 3M™ Paint Preparation System

16046 16054 Item# **Description** List Adapter #15 3/8" Male, 19 Thread BSP Adapter #18 3/8 Female, 18 Thread NPS 71-16046 26.69 FA 71-16054 47.89 EA

3M ACCUSPRAY™ SYSTEM





This revolutionary product allows you to have a brand new spray gun on demand. Replaceable atomizing heads deliver a large usable pattern with very low overspray and exceptional atomization. Get the finish of a premium HVLP primer gun at a fraction of the cost. Lowers primer spraying and sanding time. Reduces gun clean up time and uses less cleaning solvent. Re-attach and re-use the same atomizing head or when necessary, just replace with a new one. **Kit contains** :1 spray gun (Model HG09), 3 atomizing heads and 1 air flow control valve.

Ìtem#	Description		List
71-16570*	HG09 Spray Gun Kit		284.59 EA
Repl. Parts	s Description	Size Bo	x List
71-16611	Head for Accuspray™ Gun Models HG18 and HG09.	1.8 mm 4	34.99 BX
71-16609	Red Atomizing Heads	2.0mm	34.99 BX

ACCUSPRAY™ SPRAY GUN MODEL HG14 KIT



Accuspray[™] technology with a 1.4 mm atomizer for applications requiring the use of a 1.4mm atomizing head. Like all Accuspray

System guns, the HG14 kit delivers the equivalent of a new 1.4mm spray gun equivalent of a new 1.4mm spray gun whenever you want one - for a fraction of the cost. Accuspray™ Spray Guns perform like a premium spray gun, without the premium price. The 16577 kit contains 1 spray gun, 3 atomizing heads and an airflow control valve. The HG14 is designed to help improve technician productivity and minimize clean up time. The HG14 has the added benefit of porforming like a new spray gun every time the atomizing head is replaced.

of performing like a new spray gun every time the atomizing head is replaced.

Item# 71-16577	Description HGP14 Spray Gun Kit			List 285.29 KT
Opt. Accy.	Description	Siz	:e	Box List
71-16611	Head for Accuspray™ Gun Models HG18 and	1.8	3 mm	4 34.99 BX
	HG09.			
71-16609	Red Atomizing Heads	2.0)mm	34.99 BX
Repl. Parts 71-16612		Size 1.4mm	Box 4	List 35.79 BX

3M ACCUSPRAY™ PRESSURIZED SPRAY GUN





Provides the equivalent of a brand new pressurized spray gun on demand for a fraction of the cost. Kit contains: 1 spray gun model HGP20 and 3 atomizing heads. The innovative replaceable atomizing head allows for increased productivity and reduction in coating consumption. Cup and hose are sold separately.

Item# 71-16587	Description HGP20 Spray Gun Kit			List 315.59 EA
Opt. Accy.	Description	Capacity	Box	List
71-16124	Lg Pressure Cup w/hose port	28 oz.	_1	130.59 EA
71-16121 (L)	Mini Pressure Cup w/hose port	6 oz.	1	77.29 EA
Repl. Parts	Description	Size		List
71-16609	Red Atomizing Heads	2.0mm		34.99 BX

3M ACCUSPRAY™ ATOMIZING HEADS





Replaceable atomizing heads for use with the 3M[™] Accuspray[™] Spray Gun model HG18 and HG09. The Accuspray[™] System works perfectly with the 3M[™] PPS(tm) Paint Protection System. An innovative system for mixing and spraying both solvent based and waterborne materials



Item# 71-16611	Description Head for Accuspray™ Gun Models HG18 and	Size 1.8 mm	Box 4	List 34.99 BX
71-16612	HG09. Head for Accuspray™ Gun Models HG14	1.4mm	4	35.79 BX

3M™ RANDOM ORBITAL SANDERS







Self Generated Vac

Self Generated Vac

The 3M™ Random Orbital Sanders are high quality, powerful .28hp tools pneumatically powered, light weight with a low profile. Along with 3M's high quality abrasives, produce superior finishes with long abrasive life and good cut rates. One sanding pad is included.

3M™ No-Hole, Non-Vac Tool; with Stikit™ Disc Pad.

3M™ Self-Generated Vacuum Orbital Sander: designed to work with 3M's orbital Saluer: designed to work with sin so proprietary clean sanding dust collection system, the self-generated vacuum model works harder to trap and contain airborne particles during the finishing process. The central vacuum-ready unit easily attaches and detaches to your central vacuum system. With Clean Sanding Hookit™ Disc Pad. Easily attaches & detaches to central

Item#	Description	Size	List
71-20325 (L)	3/16" Orbit Dia., Non-Vacuum	6"	308.09 EA
71-20324 (L)	5/16" Orbit Dia., Non-Vacuum	6"	308.99 EA
71-20327	3/16" Orbit Dia., Self-Generated Vacuum	6"	331.29 EA

ELITE SERIES RANDOM ORBITAL SANDER





Features an alloy steel curved-throttle lever with built-in wrist support, 3M™ gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, and internal muffler.

Non-Vacuum: with Stikit™ Disc Pad.

Central Vacuum-Ready: with Hookit™ Disc Pad.

Self-Generated Vacuum: with Hookit™ Disc Pad.

	Tavalan min moonin Dioo man		
Item#	Description	Size	List
71-28500 (L)	3/16" Orbit Dia., Non-Vacuum	6"	271.29 EA
71-28499	5/16" Orbit Dia., Non-Vacuum	6"	266.09 EA
71-28508	3/16" Orbit Dia., Vacuum-Ready	6"	289.59 EA
71-28502	5/16" Orbit Dia., Vacuum-Ready	6"	289.59 EA
71-28516	3/16" Orbit Dia., Self-Generated Vacuum	6"	289.59 EA
71-28510	5/16" Orbit Dia., Self-Generated Vacuum	6"	289.59 EA

3M™ RANDOM ORBITAL SANDER ACCESSORIES









28383



Use on 3M[™] Orbital/Random Orbital sanders with self-generated vacuum.

Item# **Description** 71-20452 Large Clean Sanding filter bag. Eliminates the need for vacuum hose which improves operator ease of use. Use with 3M filter bag adapter. Sold in multiples of 10 only.

71-28364 (L) Extra Large Clean Sanding filter bag. Sold in multiples of 5 18.79 EA

71-28383 (L) Filter Bag End Cap - 1" Diameter 49 FA 71-20453 Bag Adapter. 1" External hose thread x 1" ID. **14.59** EA

RANDOM ORBITAL SANDER BACK PACK ASSEMBLY



List

6.69 EA



Use as a backpack or a hip pack. Holds 3M™ extra large clean sanding filter bag and other components used to connect the random orbital sander to the filter bag. Consists of: 1" x 6' vacuum hose (PN28301), vacuum hose swivel adapter (PN30442), filter bag adaptor (PN20453), hose seal (PNA0778), XL clean sanding filter bag (PN28364).

Item# 71-28365*

286.99 EA

ELITE SERIES ORBITAL SANDER - SELF GENERATED VACUUM





Features an alloy steel curved-throttle lever with built-in wrist support, 3M gripping material molded into the interchangeable comfort grip, conveniently located speed control dial, internal muffler.
Features 3M™ proprietary clean sanding system with improved filter bag. Composite cover to prevent cracked housings. Improved access to air fittings and dust collection port. Max OPM: 10,000. Clean Sanding Hookit™ pad (28531), Filter bag adaptor and Clean sanding filter bag included

Item# 71-28529 (L) Description 1/4" Orbit dia. Sander Size 23/4" x 73/4"

List 406.69 EA

RANDOM ORBITAL SANDER - DUAL PURPOSE





Dual purpose, pneumatically powered tool is designed to be used as a non-vacuum, or a central vacuum tool. Features a powerful .45 HP motor with % in orbit, built-in muffler, and rear exhaust. Designed for two-handed use with or without the removable side handle.

Item# Description Size 71-28337 3/8" Orbit Dia. 6"

List **614.69** EA

VACUUM BAG COVER A1434



Holds and protects paper 3M™ vacuum bag inserts.

Item# Size 71-28303 20" × 9"

HIGHLAND BRAND ELECTRICAL TAPE

Commercial grade tape that is 7mils thick, tough and stretchy. Each roll is cellophane wrapped.

Item#	
71-16720	

Size 3/4" x 66

List 4.59 EA

ELECTRIC VARIABLE SPEED POLISHER



List

29.79 EA



Delivers an excellent finish on the painted surfaces of boats and cars. Works great on acrylic and gelcoat. 11 Amp motor. Maintains speed and power under load with 1,000-3,000 RPM variable speed control. Solid, lightweight construction and a vibration absorbing handle for improved comfort.

Item# 71-28391 (L)

List 448.69 EA

AIR TOOL LUBRICANT





UA lubricating oil that keeps the tools running at top efficiency. The oil reduces the coefficient of friction between moving parts and reduces the amount of heat produced by the motor. Use 2-3 drops per day or as needed to maintain tool performance.

> List 9.79 EA 35.79 EA

SPECIALTY ADHESIVE REMOVER





VOC-compliant (70%) solvent-based liquid specialty adhesive remover is designed to remove reactive adhesives from a variety of substrates. Reactive adhesives include adhesives that require a hardener or catalyst in order for the bond to occur, such as epoxies, urethanes and silicones.

Item# 71-38984

Item#

71-20451

71-20466

Size Quart

List 41.19 EA

WIRE MARKER TAPE DISPENSER





Provides a fast convenient system for marking wire, cable, or vacuum hoses. Special end loop for hooking on belt or tool pouch. 10 refillable compartments allow you to choose the exact

number or color combinations you need.

Item# Description List 71-49518 Filled Number Dispenser (0-9) **79.29** EA

TARTAN VINYL ELECTRICAL TAPE





Combines the flexibility of a PVC backing with good electrical insulating properties to provide primary electrical insulation for splices up to 600V. Abrasion-, corrosion-, and UV-resistant. UL listed, it resists alkalis and acids, and is flame-retardant.

Item# 71-93604 Size .709" x 60

List 1.89 FA

SCOTCH SUPER 33 PLUS





A vinyl plastic electrical tape. An extremely conformable 7 mil. high performance tape that resists water, oils, acids and weather. Has insulation properties of both rubber

t
9 EA
9 EA
9 EA
9 EA

SCOTCH 35 VINYL ELECTRICAL TAPE





10836

10851





10810

Scotch® Vinyl electrical color coding tape 35 is used in phase identification, color coding leads and piping systems and for marking safety areas. This tape is abrasionand weather-resistant, with excellent mechanical and electrical insulation properties that wraps smoothly and holds tight over a wide range of temperatures. UL Listed and CSA Certified, and is flame-retardant.

Item#	Size	Color	List
71-10836 (L)	3/4" x 661	Blue	8.29 EA
71-10851 (L)	3/4" x 661	Green	8.29 EA
71-10810	3/4" x 661	Red	8.29 EA
71-10828	3/4" x 66'	White	8.29 EA

SCOTCH ELECTRICAL MOISTURE SEALANT



Provides a quick and easy method of moisture proofing electrical connections. The mastic forms a moisture tight seal around connections and the tough elastic vinyl backing provides additional protection against vibration. Also can be used for wire repair, sealing lights and protecting terminal blocks.

Item# Size List 71-06147 2½" x 10' **34.49** EA

ITEM NUMBERS IN RED ARE HAZARDOUS • ITEMS IN BLUE ARE NEW • ITEMS ARE STOCKED IN OUR WAREHOUSES BASED ON REGIONAL DEMAND. IF AN ITEM IS NOT IN STOCK AT A LOCAL WAREHOUSE, ADDITIONAL CHARGES MAY APPLY.

SCOTCHLOK™ INSTANT ELECTRIC CONNECTOR

SCOTCHLOK 314 ELECTRICAL CONNECTOR







ap splices on solid or stranded lith a standard pair of pliers any ed easier and faster. Not moisture 01 UL Listed)

Item#	Wire Range	Color	Pack	List
71-06126 (L)	18-14 AWG	Blue	50	15.09 BX
71-06119	14-18 AWG	Brown	50	39.39 PK
71-06122	10-12 AWG	Yellow	50	29.49 PK
71-06118	14-18 AWG	White	500	187.49 BG

OIL SORBENT PILLOW



These small and lightweight pillows are tear-resistant. Pillows are a selective sorbent which will "sorb" hydrocarbon-based liquids (oleophilic) and repel waterbased liquids (hydrophobic). They are designed with a

scrim that encases particulate sorbent material and can be used in areas where more capacity is desired than can easily be achieved using a sorbent pad.

Sold in case packs only.

Item#	Size	Capacity	List
71-T30⊕	7" x 15"	.5 Gallons/Pad	8.39 E

OIL & FUEL ABSORBENT BILGE PILLOW





Item#

71-HP156

71-T156

Toss it in the bilge, and it soaks up oil and gasoline, but repels water. The bilge water can then be pumped overboard legally.

S S S			
Item# 71-29026 (D)	Size 7" x 15"	Capacity .5 Gallons/Pad	List 13.69 EA
/ 1-29020 (D)	7 X 15	.5 Gallotis/Pau	13.09 EA



3M™ SCOTCHLOK™ NO. 901

Contains a special compound inside connector to protect against corrosion in damp conditions. Handles 22-14 AWG solid or stranded wire. Wires held with double "U" element to provide much stronger connection while reducing electrical resistance.

Bullet receptacle connector, self stripping. Designed for quick electrical connection on towed vehicles. It extends

14. 16 & 18 gauge automotive wiring to towed units with a

Item#	Wire Range	Box	List
71-09230	22-14	50	63.19 BX

universal male bullet on. 157" diameter.

Type

Run & Tap

Per box of 50

Wire Range

18-14

UNDERSINK WATER FILTER KIT

PETROLEUM SORBENT PADS







Capacity

.375 Gallon/Pad

.405 Gallon/Pad

Conveniently sized pads allow you to quickly spread them on and in the path of a spill. Pads may also be used on a work surface in case of a spill or as a wipe. Pads are a selective sorbent which will "sorb" hydrocarbonbased liquids (oleophilic) and repel water-based liquids (hydrophobic).

		_	_



List

27.19 PK



Item#

Item#

71-1614511535*

71-06106

- Minimize concerns over chemical contamination, while improving the taste, smell and clarity of your water
- Reduces sediment dirt rust sand and silt to 0.5 micron

Description USCF undersink water filter kit	12	List 88.89 E
• Removes 95% of Chlorine	0.0	11110101

CHOKE AND CARB CLEANER

Size

17" x 19" x 1/4"

17" x 19" x 3/8"



List

107.89 BG

155.39 BG



Penetrates quickly to loosen and clean away varnish, oil and gum. Has fast cleaning action plus a powerful spray to flush away residue. Dries fast and may be used on cold, hot or running engines. 6/case, sold per each.

Bag

100

100

WATER FILTER KITS



138 89 FA



Minimize concerns of biological contamination, while improving the taste, smell and clarity of your water supply. Do not use with water that is microbiologically unsafe or of unknown quality without adequate disinfection. Kits Include a head assembly with integral mounting bracket with locking tab, and a single ready to use cartridge filter. Easy, Quick change cartridge design connects to main line for drinking, cooking and bath water. WV-B2 may also be installed as an under kitchen sink filter. 25/16" min required for cartridge

removal.

- Inlet and outlet plumbing connections are ½" NPT
- System max operating pressure of 100 psi and operating temp of 100°F
- Reduces 99.99% of bacteria, algae, cysts and mold spores
- Reduces sediment, dirt, rust, sand and silt to 0.2 micron and greater than 95% of chlorine

Item#	Model #	Description	Length	GPM	List
71-1614511592 (L)	WVB2	WV-B2 2.5 GPM water filter kit	111//8"	2.5	290.49 EA
71-1614511596	WVB3	WV-B3 3.5 GPM water filter kit	15 ⁷ / ₈ "	3.5	378.69 EA
Repl. Parts		Description			List
71-1614511588		B2 replacement cartridge			138.99 EA
71-1614511590 (L)		B3 replacement cartridge			381.79 EA

SILICONE LUBRICANT PLUS (WET TYPE)

Size

12.5 oz. Aerosol



List

8.59 EA



Item#

71-08796

A high solids, high viscosity aerosol lubricant designed for lubricating moving parts, eliminating squeaks caused by friction; protecting against rust and corrosion; sealing out moisture; preserving plastics, rubber, leather: etc.

Item#	Size	List
71-08877 (L)	9 oz.	9.89 EA

SCOTCH-GRIP™ RUBBER & GASKET ADHESIVE 847





A premium quality multi-purpose adhesive. Develops strong flexible bonds very rapidly to a wide variety of substrates, including many plastics and rubbers, gasketing materials and leather. Resistant to most fuels and oil. Heat and solvent reactivatable. Curable with heat.

Item#	Size	Color	List
71-19718	5 oz. Tube	Reddish Brown	32.89 EA